




Dinkle Enterprise Co., Ltd.

SCREWDRIVER 螺絲手工具







XC-12.1



SLOTTED SCREWDRIVER






Stock No.	Size								
		A	B	C	D	E	F	Box	Carton

DNT11-0102	2.5 x 75	0.4	2.5	2.5	75	21.6	70	12	600
DNT11-0107	3.5 x 100	0.6	3.5	3.5	100	21.6	70	12	600
DNT11-0109	4.0 x 100	0.8	4.0	4.0	100	21.6	70	12	300
DNT11-0111	5.5 x 150	1.0	5.5	5.5	150	27.7	90	12	300




PHILLIPS SCREWDRIVER







Stock No.	Size						
		C	D	E	F	Box	Carton

DNT11-0201	#0 x 60	3.0	60	21.6	70	12	300
DNT11-0202	#1 x 80	5.0	80	27.7	90	12	300
DNT11-0205	#2 x 100	6.0	100	33	108	12	180
DNT11-0208	#3 x 150	8.0	150	37.5	122	6	120



INSULATED SLOTTED SCREWDRIVER







Stock No.	Size							
		A	B	D	E	F	Box	Carton
DNT11-0301	2.5 x 75	0.4	2.5	75	21.8	70	12	600
DNT11-0302	3.0 x 100	0.5	3.0	100	21.8	70	12	600
DNT11-0303	4.0 x 100	0.8	4.0	100	31.6	100	12	600
DNT11-0304	5.5 x 125	1.0	5.5	125	31.6	100	12	240
DNT11-0305	6.5 x 150	1.2	6.5	150	34.7	110	12	180
DNT11-0306	8.0 x 175	1.2	8.0	175	38.6	122	6	120
DNT11-0307	3.5 x 100	0.6	3.5	100	21.8	70	12	600



INSULATED PHILLIPS SCREWDRIVER



Stock No.	Size							
		C	D	E	F	Box	Carton	
DNT11-0401	#0 x 60	3.0	60	21.8	70	12	600	
DNT11-0402	#1 x 80	5.0	80	31.6	100	12	240	
DNT11-0403	#2 x 100	6.0	100	34.7	110	12	180	
DNT11-0404	#3 x 150	8.0	150	38.6	122	6	120	

Multiple Function Screwdriver 多功能螺絲起子

**19 in 1
Ratchet**



















本體-可存放起子頭棘輪手柄，含雙向六角桿1支(1/4"，5/16" 雙尺寸)

The main ratchet handle can store all screwdriver bits including a double-ended hexagonal post (1/4" & 5/16")

8支雙向起子頭規格如下：

8 pcs of double-ended screwdriving bits as below :

Part Number	Product Name	Carton
DNT11-9901	19合一可替換式多功能棘輪螺絲起子組 19 in 1 interchangeable ratchet screwdriver set	50
規格 Specification		
1/4" 雙向起子頭	1/4" double-ended screwdriving bit	 4mm &  #0
1/4" 雙向起子頭	1/4" double-ended screwdriving bit	 5mm &  #1
1/4" 雙向起子頭	1/4" double-ended screwdriving bit	 6mm &  #2
1/4" 雙向起子頭	1/4" double-ended screwdriving bit	 #1 &  #2
1/4" 雙向起子頭	1/4" double-ended screwdriving bit	 2.5mm &  4.0mm
1/4" 雙向起子頭	1/4" double-ended screwdriving bit	 3.0mm &  5.0mm
5/16" 雙向起子頭	5/16" double-ended screwdriving bit	 8mm &  #3
精密螺絲頭	Precision screwdriving bit	 2mm &  #00

町洋螺絲起子特性說明：

- ◆ 根據不同的扭矩應用，產品具有符合人體工學三段式設計的手柄，可提高工作效率。
- ◆ 符合人體工學的軟質手柄提供高扭矩，並可消除擰緊螺絲時所產生的物理應力。
- ◆ 在應力過大時，高扭矩係數可以防止螺絲起子折斷。
- ◆ 符合DIN、ISO和ANSI標準。
- ◆ 衣架孔設計可以將螺絲起子插入T形把手，以滿足更大的扭矩要求。
- ◆ 手柄採用PP和TPV材料組合避免滑手，對化學、石油和大部分溶劑具有高耐受性。
- ◆ 刀桿採用特種優質SVCM合金鋼，經過硬化處理後再做緞面鍍鉻或電鍍鉻。
- ◆ 確保刀尖與每一個螺絲頭能完美結合。

町洋的一般螺絲起子優勢：

- ◆ 方形手柄設計，防止螺絲起子滾動。
- ◆ 依不同手握設計的手柄可均勻分散壓力，減少施力時的疼痛，並能產生較高的扭矩係數。
- ◆ 流線型手柄設計，讓您牢握時手感舒適服貼。
- ◆ 前端止滑造形可避免使用時打滑，劍柄狀把手可以保護您的手防止受傷。

町洋的電工螺絲起子優勢：

- ◆ 符合IEC 60900標準。
- ◆ 螺絲起子形式和尺寸標示在手柄上，在工作場所可輕易找到適用的螺絲起子。
- ◆ "五角形"手柄設計，防止螺絲起子滾動。
- ◆ 專利雙層絕緣設計，有更安全的保護。
- ◆ 雙層設計具有安全警示功能。當外層破裂並裸露出內部黃色層時，請立即更換螺絲起子。



Features of Dinkle Screwdrivers :

- ◆ Three-section ergonomic handle improves work efficiency when working under different torque applications.
- ◆ Ergonomic and soft material handle provides high torsion and erases the physical stresses of screwdriving.
- ◆ The high torque value prevents the screwdriver from breaking when it is overstressed.
- ◆ Meets the DIN, ISO and ANSI standards.
- ◆ Hanger hole on the handle can transform the screwdriver into a T-handle for greater torque requirements.
- ◆ PP and TPV materials of the handle avoid slippery and provide resistance to chemical, oil and most solvents.
- ◆ Blade made of special high quality SVCM steel alloy, through hardening treatment, followed by satin chrome or chrome plating.
- ◆ Blade tip ensures a perfect fit.

Advantages of Dinkle Regular Screwdrivers :

- ◆ Square-shaped handle prevents from rolling.
- ◆ The handle was designed in according to different hand-holding. It can disperse the pressure evenly and reduce discomfort when applying force. The handle also generates higher torque value.
- ◆ Streamlined handle design fits your hand comfortably for a firm grip.
- ◆ The anti-slip design of handle in front portion can avoid slipping in application, and the sword handle can protect your hand.

Advantages of Dinkle Insulated Screwdrivers :

- ◆ Meets the IEC 60900 standard.
- ◆ The screw symbol and tip size markings on the handle make it easier to find the right screwdriver at work place.
- ◆ "Pentagon" neck sharp design prevents from rolling.
- ◆ Patented dual layer insulation design for greater safety protection.
- ◆ Dual layer design with safety alert feature. When external layer breaks and exposes the internal yellow layer, the screwdriver must be replaced immediately.



町洋企業股份有限公司

DINKLE ENTERPRISE CO., LTD.

新北市 24890 五股區五權二路19號 (新北產業園區)
No.19, Wuquan 2nd Rd., Wugu Dist.,
New Taipei City 24890, Taiwan
TEL : +886-2-8069-9000 • 7705-6900
FAX : +886-2-2290-1702 • 7705-6902
E-mail : info@dinkle.com.tw
Web : www.dinkle.com

町洋國際股份有限公司

DINKLE INTERNATIONAL CO., LTD.

No.19, Wuquan 2nd Rd., Wugu Dist.,
New Taipei City 24890, Taiwan
TEL : +886-2-8069-9000 • 7705-6900
FAX : +886-2-2290-1702 • 7705-6902
E-mail : info@dinkle.com.tw
Web : www.dinkle.com

立洋廠 (Liyang, China)

TEL : +86-769-8336-4350
+86-769-8336-4370
FAX : +86-769-8336-4314

金洋廠 (Jin Yang, China)

TEL : +86-769-8336-0306
FAX : +86-769-8336-0307

昆山廠 (Kunshan, China)

TEL : +86-512-5708-8588
FAX : +86-512-5708-8600

香港分公司 (Hong Kong Office)

TEL : +852-2795-3840
FAX : +852-2753-6919

町洋電氣貿易(上海)有限公司

DINKLE ELECTRIC TRADING (SHANGHAI) CO., LTD.

上海市徐匯區漕溪北路18號上實大廈16樓A室 (200030)
TEL : +86-021-6487-0636
FAX : +86-021-3356-2500
E-mail : info@dinkle.com.tw
Web : www.dinkle.com