



Terminal & Tools

UL 468E (Ref.)

| AWG | mm ² | Solid wire (mm) | Stranded wire (mm) | Rated Current (A) |
|-----|-----------------|-----------------|--------------------|-------------------|
| 30 | 0.05 | 0.26 | 0.32 | 0.5 |
| 28 | 0.08 | 0.32 | 0.38 | 0.8 |
| 26 | 0.13 | 0.41 | 0.48 | 1 |
| 24 | 0.2 | 0.51 | 0.64 | 2 |
| 22 | 0.32 | 0.64 | 0.78 | 3 |
| 20 | 0.52 | 0.81 | 0.95 | 5 |
| 18 | 0.82 | 1.02 | 1.21 | 7 |
| 16 | 1.3 | 1.29 | 1.5 | 10 |
| 14 | 2.1 | 1.63 | 1.88 | 15 |
| 12 | 3.3 | 2.05 | 2.36 | 20 |
| 10 | 5.3 | 2.59 | 3.2 | 30 |
| 8 | 8.4 | 3.27 | 4.11 | 50 |
| 6 | 13.3 | 4.11 | 5.46 | 65 |
| 4 | 21.2 | 5.19 | 6.91 | 85 |
| 3 | 26.7 | | | 100 |
| 2 | 33.6 | 6.51 | | 115 |
| 1 | 42.4 | | | 130 |

IEC 998-1、947-7 (Ref.)

| Rated wiring Capacity mm ² | Conductor and related external diameter | | | | |
|---------------------------------------|-----------------------------------------|-----------------|--------------------|----------|--------------------|
| | AWG | | | | |
| | Rigid | | | Flexible | |
| | AWG | Solid wire (mm) | Stranded wire (mm) | AWG | Stranded wire (mm) |
| 0.2 | 24 | 0.54 | 0.61 | 24 | 0.64 |
| 0.34 | 22 | 0.68 | 0.71 | 22 | 0.8 |
| 0.50 | 20 | 0.85 | 0.97 | 20 | 1.02 |
| 0.75 | 18 | 1.07 | 1.23 | 18 | 1.28 |
| 1.00 | - | - | - | - | - |
| 1.50 | 16 | 1.35 | 1.55 | 16 | 1.60 |
| 2.50 | 14 | 1.71 | 1.95 | 14 | 2.08 |
| 4.00 | 12 | 2.15 | 2.45 | 12 | 2.70 |
| 6.00 | 10 | 2.72 | 3.09 | - | - |
| 10.00 | 8 | 3.43 | 3.89 | 10 | 3.36 |
| 16.00 | 6 | 4.32 | 4.91 | 8 | 4.32 |
| 25.00 | 4 | 5.45 | 6.18 | 6 | 5.73 |
| 35.00 | 2 | 6.87 | 7.78 | 4 | 7.26 |




町洋國際股份有限公司
DINKLE INTERNATIONAL CO., LTD.


E-mail : info@dinkle.com.tw
Web : www.dinkle.com

經銷商 Distributor





Unit:mm²

| Part No. | Wire Range | Dimension | | | | DIN Color | Package | | Tools | |
|----------|-----------------|-----------|----------|----|------|-----------|---------|----------|------------------------------------------------------------------------------------------------------------------------------------------|-----|
| | mm ² | D1 | W/D2 | L1 | L2 | | pcs/bag | bags/box | | |
| DN00508B | 2×0.5 | 1.5 | 2.5/4.7 | 8 | 15 | White | 500 | 5 | DNT01-2206B 22~6 AWG 0.5~10 mm ²  | |
| DN00708B | | | | 8 | 15 | Grey | | | | |
| DN00710B | | | | 10 | 17 | Grey | | | | |
| DN01008B | 2×1.0 | 2.05 | 3.4/5.4 | 8 | 15 | Red | | | | |
| DN01010B | | | | 10 | 17 | Red | | | | |
| DN01508B | 2×1.5 | 2.3 | 3.6/6.6 | 8 | 16 | Black | | | | |
| DN01512B | | | | 12 | 20 | Black | | | | |
| DN02510B | 2×2.5 | 2.8 | 4.2/7.8 | 10 | 18.5 | Blue | | | | 1 |
| DN02513B | | | | 13 | 21.5 | Blue | | | | |
| DN04012B | 2×4.0 | 3.7 | 4.9/8.8 | 14 | 23 | Grey | | | | 200 |
| DN06014B | 2×6.0 | 4.8 | 6.9/10 | | 26 | Yellow | 1 | | | |
| DN10014B | 2×10 | 6.4 | 7.6/12.8 | | 26.5 | Red | 50 | 2 | | |
| DN16014B | 2×16 | 8.3 | 9.6/18.6 | | 31.5 | Blue | | | | |

Cutter & Stripper

DNT04-1810A



18~10 AWG
0.9 ~ 5.5 mm²

DNT04-2616A



26~16 AWG
0.2 ~ 1.25 mm²

DNT04-3010A




30~10 AWG
0.5 ~ 4 mm²

DNT04-2010A



20~10 AWG
0.6 ~ 5 mm²



Unit:mm²

| Part No. | Wire Range | | Dimension | | | | DIN Color | Package | | Tools |
|----------|------------|-----------------|-----------|------|----|----|------------|---------|----------|---------------------------------------------------|
| | AWG | mm ² | D1 | W/D2 | L1 | L2 | | pcs/bag | bags/box | |
| DN00206D | 24 | 0.25 | 0.75 | 1.9 | 6 | 10 | Light Blue | 1000 | 10 | DNT01-2210B 22~10 AWG 0.5~6 mm ² |
| DN00208D | | | | | 8 | 12 | | | | |
| DN00306D | 22 | 0.34 | 0.8 | 1.9 | 6 | 10 | Turouise | | | |
| DN00308D | | | | | 8 | 12 | | | | |
| DN00506D | 20 | 0.5 | 1 | 2.6 | 6 | 10 | White | 500 | 8 | |
| DN00508D | | | | | 8 | 14 | | | | |
| DN00510D | | | | | 10 | 16 | | | | |
| DN00706D | 18 | 0.75 | 1.2 | 2.8 | 6 | 12 | Grey | | | |
| DN00708D | | | | | 8 | 14 | | | | |
| DN00710D | | | | | 10 | 16 | | | | |
| DN00712D | | | | | 12 | 18 | | | | |
| DN01006D | 1 | 1.4 | 3 | 3 | 6 | 12 | Red | 500 | 6 | |
| DN01008D | | | | | 8 | 14 | | | | |
| DN01010D | | | | | 10 | 16 | | | | |
| DN01012D | | | | | 12 | 18 | | | | |
| DN01508D | 16 | 1.5 | 1.7 | 3.5 | 8 | 14 | Black | 500 | 4 | |
| DN01510D | | | | | 10 | 16 | | | | |
| DN01512D | | | | | 12 | 18 | | | | |
| DN01518D | | | | | 18 | 24 | | | | |
| DN02508D | 14 | 2.5 | 2.2 | 4.2 | 8 | 14 | Blue | 500 | 3 | |
| DN02510D | | | | | 10 | 16 | | | | |
| DN02512D | | | | | 12 | 18 | | | | |
| DN02518D | | | | | 18 | 24 | | | | |
| DN04010D | 12 | 4 | 2.8 | 4.8 | 10 | 17 | Grey | 500 | 2 | |
| DN04012D | | | | | 12 | 20 | | | | |
| DN04018D | | | | | 18 | 26 | | | | |
| DN06012D | 10 | 6 | 3.5 | 6.3 | 12 | 20 | Yellow | 500 | 1 | |
| DN06018D | | | | | 18 | 26 | | | | |
| DN10012D | 7 | 10 | 4.5 | 7.6 | 12 | 22 | Red | 200 | 1 | |
| DN10018D | | | | | 18 | 28 | | | | |
| DN16012D | 5 | 16 | 5.8 | 8.8 | 12 | 22 | Blue | | | |
| DN16018D | | | | | 18 | 28 | | | | |
| DN25016D | 4 | 25 | 7.3 | 11.2 | 16 | 30 | Yellow | 100 | 1 | |
| DN25018D | | | | | 18 | 30 | | | | |
| DN25022D | | | | | 22 | 36 | | | | |
| DN35016D | 2 | 35 | 8.3 | 12.7 | 16 | 30 | Red | | | |
| DN35018D | | | | | 18 | 32 | | | | |
| DN35025D | | | | | 25 | 39 | | | | |
| DN50020D | 1 | 50 | 10.3 | 15 | 20 | 36 | Blue | 50 | | |
| DN50025D | | | | | 25 | 40 | | | | |
| DN70021D | 2/0 | 70 | 13.5 | 16 | 21 | 37 | Yellow | 50 | 1 | |
| DN95025D | 3/0 | 95 | 14.7 | 18 | 25 | 44 | Red | | | |
| DN96027D | 4/0 | 120 | 16.7 | 20 | 27 | 48 | Blue | | | |
| DN97032D | 250kcmil | 150 | 19.5 | 23 | 32 | 58 | Yellow | | | 20 |



DNT01-2206B
22~6 AWG
0.5~6 mm²




DNT01-0401B
4~1 AWG
25~50 mm²








Unit:mm²


| Part No. | Wire Range | | Dimension | | | Package | | Tools | | | | | | | | | |
|----------|------------|-----------------|-----------|------|----|---------|----------|---------------------------------------------------|------|---|-------------------------------------------------|------|---|-------------------------------------------------|------|---|-------------------------------------------------|
| | AWG | mm ² | D1 | D2 | L | pcs/bag | bags/box | | | | | | | | | | |
| DN00506F | 22 | 0.5 | 1 | 2.1 | 6 | 1000 | 10 | DNT01-2210B 22~12 AWG 0.5~4 mm ² | | | | | | | | | |
| DN00508F | | | | | 8 | | | | | | | | | | | | |
| DN00510F | | | | | 10 | | | | | | | | | | | | |
| DN00706F | 20 | 0.75 | 1.2 | 2.3 | 6 | | | | | | | | | | | | |
| DN00708F | | | | | 8 | | | | | | | | | | | | |
| DN00710F | | | | | 10 | | | | | | | | | | | | |
| DN01006F | 18 | 1 | 1.4 | 2.5 | 6 | | | | 1000 | 5 | DNT01-1006B 10~6 AWG 6~16 mm ² | | | | | | |
| DN01008F | | | | | 8 | | | | | | | | | | | | |
| DN01010F | | | | | 10 | | | | | | | | | | | | |
| DN01012F | | | | | 12 | | | | | | | | | | | | |
| DN01507F | 16 | 1.5 | 1.7 | 2.8 | 7 | | | | | | | | | | | | |
| DN01508F | | | | | 8 | | | | | | | | | | | | |
| DN01510F | | | | | 10 | | | | | | | | | | | | |
| DN01512F | | | | | 12 | | | | | | | | | | | | |
| DN02507F | 14 | 2.5 | 2.2 | 3.4 | 7 | 1000 | 2 | DNT01-1006B 10~6 AWG 6~16 mm ² | | | | | | | | | |
| DN02508F | | | | | 8 | | | | | | | | | | | | |
| DN02510F | | | | | 10 | | | | | | | | | | | | |
| DN02512F | | | | | 12 | | | | | | | | | | | | |
| DN04008F | 12 | 4 | 2.8 | 4 | 8 | | | | 1000 | 1 | DNT01-0401B 4~1 AWG 25~50 mm ² | | | | | | |
| DN04009F | | | | | 9 | | | | | | | | | | | | |
| DN04010F | | | | | 10 | | | | | | | | | | | | |
| DN04012F | | | | | 12 | | | | | | | | | | | | |
| DN04015F | | | | | 15 | | | | | | | | | | | | |
| DN04018F | 18 | | | | | | | | | | | | | | | | |
| DN06010F | 10 | 6 | 3.5 | 4.7 | 10 | 1000 | 1 | DNT01-0401B 4~1 AWG 25~50 mm ² | | | | | | | | | |
| DN06012F | | | | | 12 | | | | | | | | | | | | |
| DN06015F | | | | | 15 | | | | | | | | | | | | |
| DN06018F | | | | | 18 | | | | | | | | | | | | |
| DN10012F | 7 | 10 | 4.5 | 5.8 | 12 | | | | 1000 | 1 | DNT01-0401B 4~1 AWG 25~50 mm ² | | | | | | |
| DN10015F | | | | | 15 | | | | | | | | | | | | |
| DN10018F | | | | | 18 | | | | | | | | | | | | |
| DN16012F | 5 | 16 | 5.8 | 7.5 | 12 | | | | | | | 1000 | 1 | DNT01-0401B 4~1 AWG 25~50 mm ² | | | |
| DN16015F | | | | | 15 | | | | | | | | | | | | |
| DN16018F | | | | | 18 | | | | | | | | | | | | |
| DN25015F | 4 | 25 | 7.3 | 9.5 | 15 | 1000 | 1 | DNT01-0401B 4~1 AWG 25~50 mm ² | | | | | | | | | |
| DN25016F | | | | | 16 | | | | | | | | | | | | |
| DN25018F | | | | | 18 | | | | | | | | | | | | |
| DN25020F | | | | | 20 | | | | | | | | | | | | |
| DN25022F | | | | | 22 | | | | | | | | | | | | |
| DN35016F | 2 | 35 | 8.3 | 11 | 16 | | | | 1000 | 1 | DNT01-0401B 4~1 AWG 25~50 mm ² | | | | | | |
| DN35018F | | | | | 18 | | | | | | | | | | | | |
| DN35020F | | | | | 20 | | | | | | | | | | | | |
| DN35025F | | | | | 25 | | | | | | | | | | | | |
| DN50018F | 1 | 50 | 10.3 | 13 | 18 | | | | | | | 1000 | 1 | DNT01-0401B 4~1 AWG 25~50 mm ² | | | |
| DN50020F | | | | | 20 | | | | | | | | | | | | |
| DN50025F | | | | | 25 | | | | | | | | | | | | |
| DN70022F | 2/0 | 70 | 13.5 | 15.3 | 22 | 1000 | 1 | DNT01-0401B 4~1 AWG 25~50 mm ² | | | | | | | | | |
| DN70025F | | | | | 25 | | | | | | | | | | | | |
| DN70032F | | | | | 32 | | | | | | | | | | | | |
| DN95025F | 3/0 | 95 | 14.7 | 16.6 | 25 | | | | 1000 | 1 | DNT01-0401B 4~1 AWG 25~50 mm ² | | | | | | |
| DN95032F | | | | | 32 | | | | | | | | | | | | |
| DN96030F | 4/0 | 120 | 16.7 | 18.6 | 30 | | | | | | | | | | 1000 | 1 | DNT01-0401B 4~1 AWG 25~50 mm ² |
| DN96032F | | | | | 32 | | | | | | | | | | | | |
| DN96034F | | | | | 34 | | | | | | | | | | | | |
| DN97032F | 250kcmil | 150 | 19.5 | 21.5 | 32 | | | | | | | 1000 | 1 | DNT01-0401B 4~1 AWG 25~50 mm ² | | | |
| DN97038F | | | | | 38 | | | | | | | | | | | | |





| Part No. | Wire Range | | Dimension | | | | | | | Color | Package | | Tools |
|-----------|------------|-----------------|-----------|------|------|------|-----|-----|------|--------|---------|----------|------------------------------------------------------------------------------------------------------------------------------------------|
| | AWG | mm ² | Ød2 | B | F | L | H | ØD | T | | pcs/bag | bags/box | |
| DNH1-132 | 22~16 | 0.5~1.5 | 3.2 | 5.5 | 4.75 | 17 | 9.5 | 4 | 0.75 | Red | 1000 | 1 | DNT02-2210B 22~10 AWG 0.5~6 mm ²  |
| DNH1-137 | | | 3.7 | 5.5 | 4.75 | 17 | | | | | | | |
| DNH1-137B | | | 3.7 | 6.6 | 6.3 | 19.1 | | | | | | | |
| DNH1-143 | | | 4.3 | 6.6 | 6.3 | 19.1 | | | | | | | |
| DNH1-143B | | | 4.3 | 8 | 7 | 20.5 | | | | | | | |
| DNH1-153 | | | 5.3 | 8 | 7 | 20.5 | | | | | | | |
| DNH1-164 | | | 6.4 | 11.6 | 9.7 | 25 | | | | | | | |
| DNH1-184 | | | 8.4 | 11.6 | 9.7 | 25 | | | | | | | |
| DNH1-110 | | | 10.5 | 14 | 12 | 28.5 | | | | | | | |
| DNH1-232 | 16~14 | 1.5~2.5 | 3.2 | 6.4 | 4.3 | 17.5 | 10 | 4.5 | 0.8 | Blue | 1000 | 1 | |
| DNH1-237 | | | 3.7 | 6.4 | 4.3 | 17.5 | | | | | | | |
| DNH1-237B | | | 3.7 | 8.5 | 7.75 | 22 | | | | | | | |
| DNH1-243 | | | 4.3 | 6.6 | 6.3 | 19.6 | | | | | | | |
| DNH1-243B | | | 4.3 | 8.5 | 7.75 | 22 | | | | | | | |
| DNH1-253 | | | 5.3 | 9.5 | 7.25 | 22 | | | | | | | |
| DNH1-264 | | | 6.4 | 12 | 11 | 27 | | | | | | | |
| DNH1-284 | | | 8.4 | 12 | 11 | 27 | | | | | | | |
| DNH1-210 | | | 10.5 | 14 | 12 | 29 | | | | | | | |
| DNH1-537 | 12~10 | 4~6 | 3.7 | 7.2 | 5.9 | 22.5 | 13 | 6.8 | 1 | Yellow | 500 | 2 | |
| DNH1-543 | | | 4.3 | 9.5 | 8.25 | 26 | | | | | | | |
| DNH1-553 | | | 5.3 | 9.5 | 8.25 | 26 | | | | | | | |
| DNH1-564 | | | 6.4 | 12 | 10.5 | 29.5 | | | | | | | |
| DNH1-584 | | | 8.4 | 15 | 13.5 | 34 | | | | | | | |
| DNH1-510 | | | 10.5 | 15 | 13.5 | 34 | | | | | | | |




| Part No. | Wire Range | | Dimension | | | | | | | Color | Package | | Tools |
|-----------|------------|-----------------|-----------|-----|-----|------|-----|-----|------|--------|---------|----------|--------------------------------------------------------------------------------------------------------------------------------------------|
| | AWG | mm ² | Ød2 | B | F | L | H | ØD | T | | pcs/bag | bags/box | |
| DNH2-137 | 22~16 | 0.5~1.5 | 3.7 | 5.7 | 6.5 | 20.7 | 9.5 | 4 | 0.75 | Red | 1000 | 1 | DNT02-2210B 22~10 AWG 0.5~6 mm ²  |
| DNH2-137B | | | 3.7 | 6.4 | 6.5 | 20.7 | | | | | | | |
| DNH2-143 | | | 4.3 | 6.4 | 6.5 | 20.7 | | | | | | | |
| DNH2-143B | | | 4.3 | 7.2 | 6.5 | 20.7 | | | | | | | |
| DNH2-153 | | | 5.3 | 8.1 | 6.5 | 20.7 | | | | | | | |
| DNH2-164 | | | 6.4 | 11 | 10 | 25 | | | | | | | |
| DNH2-237 | 16~14 | 1.5~2.5 | 3.7 | 5.7 | 6.5 | 21.2 | 10 | 4.5 | 0.8 | Blue | 500 | 1 | |
| DNH2-237B | | | 3.7 | 6.4 | 6.5 | 21.2 | | | | | | | |
| DNH2-243 | | | 4.3 | 6.4 | 6.5 | 21.2 | | | | | | | |
| DNH2-243B | | | 4.3 | 7.2 | 6.5 | 21.2 | | | | | | | |
| DNH2-253 | | | 5.3 | 8.1 | 6.5 | 21.2 | | | | | | | |
| DNH2-264 | | | 6.4 | 11 | 10 | 25.5 | | | | | | | |
| DNH2-537 | 12~10 | 4~6 | 3.7 | 8.2 | 7.2 | 24.7 | 13 | 6.8 | 1 | Yellow | 200 | 2 | |
| DNH2-543 | | | 4.3 | 8.2 | 7.2 | 24.7 | | | | | | | |
| DNH2-553 | | | 5.3 | 9 | 7.2 | 24.7 | | | | | | | |
| DNH2-564 | | | 6.4 | 12 | 11 | 31 | | | | | | | |




| Part No. | Wire Range | | Dimension | | | | | | Color | Package | | Tools |
|-----------|------------|-----------------|-----------|------|------|----|-----|------|--------|---------|----------|------------------------------------------------------------------------------------------------------------------------------------------|
| | AWG | mm ² | W | F | L | H | ØD | T | | pcs/bag | bags/box | |
| DNH3-109 | 22~16 | 0.5~1.5 | 2.8 | 9 | 19 | 10 | 4.3 | 0.75 | Red | 1000 | 1 | DNT02-2210B 22~10 AWG 0.5~6 mm ²  |
| DNH3-110 | | | 2.2 | 10.5 | 20.5 | | | | | | | |
| DNH3-111 | | | 1.9 | 11.7 | 21.7 | | | | | | | |
| DNH3-113 | | | 2.3 | 13 | 23 | | | | | | | |
| DNH3-113W | | | 3 | 13 | 23 | | | | | | | |
| DNH3-114 | | | 3 | 14.5 | 24.5 | | | | | | | |
| DNH3-117 | | | 2.3 | 17.1 | 27.1 | | | | | | | |
| DNH3-118 | | | 2.2 | 18.5 | 28.5 | | | | | | | |
| DNH3-209 | 16~14 | 1.5~2.5 | 2.8 | 9 | 19 | 10 | 4.7 | 0.8 | Blue | 1000 | | |
| DNH3-210 | | | 2.2 | 10.5 | 20.5 | | | | | 500 | | |
| DNH3-212 | | | 2.5 | 12 | 22 | | | | | | | |
| DNH3-213 | | | 2.2 | 13 | 23 | | | | | 200 | | |
| DNH3-213W | | | 3.54 | 13 | 23 | | | | | | | |
| DNH3-217 | | | 2.5 | 17.2 | 27.2 | | | | | | | |
| DNH3-510 | 12~10 | 4~6 | 2.8 | 10.5 | 23.5 | 13 | 7 | 1 | Yellow | 500 | 2 | |
| DNH3-513 | | | 4 | 13 | 26 | | | | | 200 | 1 | |
| DNH3-516 | | | 3 | 16.4 | 29.4 | | | | | | | |
| DNH3-518 | | | 4.5 | 18.2 | 31.2 | | | | | | | |




| Part No. | Wire Range | | Dimension | | | | | | Color | Package | | Tools |
|----------|------------|-----------------|-----------|----|------|-----|-----|------|--------|---------|----------|---------------------------------------------------|
| | AWG | mm ² | Ød2 | F | L | H | ØD | T | | pcs/bag | bags/box | |
| DNH4-112 | 22~16 | 0.5~1.5 | 1.9 | 12 | 21.5 | 9.5 | 4 | 0.75 | Red | 1000 | 1 | DNT02-2210B 22~10 AWG 0.5~6 mm ² |
| DNH4-109 | | | | 9 | 18.5 | | | | | | | |
| DNH4-110 | | | | 10 | 19.5 | | | | | | | |
| DNH4-212 | 16~14 | 1.5~2.5 | 1.9 | 12 | 22 | 10 | 4.5 | 0.8 | Blue | 500 | | |
| DNH4-209 | | | | 9 | 19 | | | | | | | |
| DNH4-210 | | | | 10 | 20 | | | | | | | |
| DNH4-514 | 12~10 | 4~6 | 2.7 | 14 | 27 | 13 | 6.8 | 1 | Yellow | 200 | | |





| Part No. | Wire Range | | Dimension | | | | | | | Package | | Tools | | | |
|-----------|------------|-----------------|-----------|---------|------|------|-----|------|-----|---------|---------|-------|----------------------------------------------------|-----|----------------------------------------------------|
| | AWG | mm ² | Ød2 | B | F | L | E | Ød | ØD | T | pcs/bag | | bags/box | | |
| DNK1-132 | 22~16 | 0.5~1.5 | 3.2 | 5.5 | 4.8 | 12 | 4.5 | 1.9 | 3.4 | 0.75 | 1000 | 1 | DNT03-1808B 18~8 AWG 0.75~10 mm ² | | |
| DNK1-137 | | | 3.7 | 5.5 | 4.8 | 12 | | | | | | | | | |
| DNK1-137B | | | 3.7 | 6.6 | 6.3 | 14.1 | | | | | | | | | |
| DNK1-143 | | | 4.3 | 6.6 | 6.3 | 14.1 | | | | | | | | | |
| DNK1-143B | | | 4.3 | 8 | 7 | 15.5 | | | | | | | | | |
| DNKI-153 | | | 5.3 | 8 | 7 | 15.5 | | | | | | | | | |
| DNK1-164 | | | 6.4 | 11.6 | 9.7 | 20 | | | | | | | | | |
| DNK1-184 | | | 8.4 | 11.6 | 9.7 | 20 | | | | | | | | | |
| DNK1-110 | | | 10.5 | 14 | 12 | 24 | | | | | | | | 5 | 1.7 |
| DNK1-232 | | | 16~14 | 1.5~2.5 | 3.2 | 6.4 | | | | | | | | 4.3 | 12 |
| DNK1-237 | 3.7 | 6.4 | | | 4.3 | 12 | | | | | | | | | |
| DNK1-237B | 3.7 | 8.5 | | | 7.8 | 16.5 | | | | | | | | | |
| DNK1-243 | 4.3 | 6.6 | | | 6.3 | 14.1 | | | | | | | | | |
| DNK1-243B | 4.3 | 8.5 | | | 7.8 | 16.5 | | | | | | | | | |
| DNK1-253 | 5.3 | 9.5 | | | 7.3 | 16.5 | | | | | | | | | |
| DNK1-264 | 6.4 | 12 | | | 11 | 21.5 | | | | | | | | | |
| DNK1-284 | 8.4 | 12 | | | 11 | 21.5 | | | | | | | | | |
| DNK1-210 | 10.5 | 14 | | | 12 | 24 | 5 | | | | | | | | |
| DNK1-537 | 12~10 | 4~6 | | | 3.7 | 7.2 | 5.9 | 15.7 | 6.2 | 3.5 | 5.6 | 1 | 500 | 2 | DNT03-1808B 18~8 AWG 0.75~10 mm ² |
| DNK1-543 | | | 4.3 | 9.5 | 8.3 | 19.5 | | | | | | | | | |
| DNK1-553 | | | 5.3 | 9.5 | 8.3 | 19 | | | | | | | | | |
| DNK1-564 | | | 6.4 | 12 | 10.5 | 23 | | | | | | | | | |
| DNK1-584 | | | 8.4 | 15 | 13.5 | 27.5 | | | | | | | | | |
| DNK1-510 | | | 10.5 | 15 | 13.5 | 27.5 | | | | | | | | | |



| Part No. | Wire Range | | Dimension | | | | | | | Package | | Tools | |
|-----------|------------|-----------------|-----------|-----|-----|------|-----|-----|-----|---------|---------|-------|----------------------------------------------------|
| | AWG | mm ² | Ød2 | B | F | L | E | Ød | ØD | T | pcs/bag | | bags/box |
| DNK2-137 | 22~16 | 0.5~1.5 | 3.7 | 5.7 | 6.5 | 15.7 | 4.5 | 1.8 | 3.4 | 0.75 | 1000 | 1 | DNT03-1808B 18~8 AWG 0.75~10 mm ² |
| DNK2-137B | | | 3.7 | 6.4 | 6.5 | 15.7 | | | | | | | |
| DNK2-143 | | | 4.3 | 6.4 | 6.5 | 15.7 | | | | | | | |
| DNK2-143B | | | 4.3 | 7.2 | 6.5 | 15.7 | | | | | | | |
| DNK2-153 | | | 5.3 | 8.1 | 6 | 15.7 | | | | | | | |
| DNK2-164 | | | 6.4 | 11 | 10 | 20.5 | | | | | | | |
| DNK2-237 | 16~14 | 1.5~2.5 | 3.7 | 5.7 | 6.5 | 15.7 | 5 | 2.3 | 4.1 | 0.8 | 500 | 1 | DNT03-1808B 18~8 AWG 0.75~10 mm ² |
| DNK2-237B | | | 3.7 | 6.4 | 6.5 | 15.7 | | | | | | | |
| DNK2-243 | | | 4.3 | 6.4 | 6.5 | 15.7 | | | | | | | |
| DNK2-243B | | | 4.3 | 7.2 | 6.5 | 15.7 | | | | | | | |
| DNK2-253 | | | 5.3 | 8.1 | 7 | 15.7 | | | | | | | |
| DNK2-264 | | | 6.4 | 11 | 11 | 20.5 | | | | | | | |
| DNK2-537 | 12~10 | 4~6 | 3.7 | 8.2 | 7.5 | 18.2 | 6 | 3.4 | 5.6 | 1 | 200 | 2 | DNT03-1808B 18~8 AWG 0.75~10 mm ² |
| DNK2-543 | | | 4.3 | 8.2 | 7.5 | 18.2 | | | | | | | |
| DNK2-553 | | | 5.3 | 9 | 7.5 | 18.2 | | | | | | | |
| DNK2-564 | | | 6.4 | 12 | 12 | 24 | | | | | | | |



| Part No. | Wire Range | | Dimension | | | | | | | Package | | Tools |
|-----------|------------|-----------------|-----------|------|------|-----|-----|-----|-----|---------|----------|-------------------------------------------------------------------------------------------------------------------------------------------|
| | AWG | mm ² | W | F | L | E | Ød | ØD | T | pcs/bag | bags/box | |
| DNK3-109 | 22~16 | 0.5~1.5 | 2.8 | 9 | 13.5 | 4.5 | 1.7 | 3.4 | 0.8 | 1000 | 1 | DNT03-1808B 18~8 AWG 0.75~10 mm ²  |
| DNK3-110 | | | 2.2 | 10.5 | 15 | | | | | | | |
| DNK3-111 | | | 1.9 | 11.4 | 15.9 | | | | | | | |
| DNK3-113 | | | 2.3 | 13 | 17.5 | | | | | | | |
| DNK3-113W | | | 3 | 13 | 17.5 | | | | | 500 | | |
| DNK3-114 | | | 3 | 14.5 | 19 | | | | | | | |
| DNK3-116 | | | 2.3 | 16.8 | 21.3 | | | | | | | |
| DNK3-118 | | | 2.2 | 18.5 | 23 | | | | | | | |
| DNK3-209 | 16~14 | 1.5~2.5 | 2.8 | 9 | 13.5 | 4.5 | 2.4 | 4.2 | 0.8 | 1000 | 2 | |
| DNK3-210 | | | 2.5 | 10.5 | 15 | | | | | | | |
| DNK3-211 | | | 2.2 | 11.5 | 16 | | | | | | | |
| DNK3-213 | | | 2.2 | 13 | 17.5 | | | | | 500 | | |
| DNK3-213B | | | 3.54 | 13 | 17.5 | | | | | | | |
| DNK3-217 | 2.5 | 16.9 | 21.4 | | | | | | | | | |
| DNK3-512 | 12~10 | 4~6 | 4 | 13 | 19 | 6 | 3.5 | 5.6 | 1 | 200 | 1 | |
| DNK3-516 | | | 3 | 16.4 | 22.4 | | | | | | | |
| DNK3-518 | | | 4.5 | 18.2 | 24.2 | | | | | | | |



| Part No. | Wire Range | | Dimension | | | | | | | Package | | Tools |
|----------|------------|-----------------|-----------|------|------|-----|-----|-----|------|---------|----------|----------------------------------------------------|
| | AWG | mm ² | Ød2 | F | L | E | Ød | ØD | T | pcs/bag | bags/box | |
| DNK4-112 | 22~16 | 0.5~1.5 | 1.9 | 12.2 | 16.5 | 4.5 | 1.8 | 3.4 | 0.75 | 1000 | 1 | DNT03-1808B 18~8 AWG 0.75~10 mm ² |
| DNK4-109 | | | | 9 | 13.5 | | | | | | | |
| DNK4-110 | | | | 10 | 14.5 | | | | | | | |
| DNK4-212 | 16~14 | 1.5~2.5 | 1.9 | 12 | 16.5 | 4.5 | 2.4 | 4.2 | 0.8 | 500 | 1 | DNT03-1808B 18~8 AWG 0.75~10 mm ² |
| DNK4-209 | | | | 9 | 13.5 | | | | | | | |
| DNK4-210 | | | | 10 | 14.5 | | | | | | | |
| DNK4-514 | 12~10 | 4~6 | 2.7 | 14 | 20 | 6.5 | 3.4 | 5.6 | 1 | 200 | 1 | DNT03-1808B 18~8 AWG 0.75~10 mm ² |

Tools



| | | | |
|---------------------------------------------------------------------|----------------------------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------|
| <p>DNT01-2212B</p> <p>22~12 AWG 0.5~4 mm²</p> | <p>DNT01-1006B</p> <p>10~6 AWG 6~16 mm²</p> | <p>DNT01-2206B</p> <p>22~6 AWG 0.5~16 mm²</p> | <p>DNT01-2210B</p> <p>22~10 AWG 0.5~6 mm²</p> |
| <p>DNT01-0401B</p> <p>4/1 AWG 25/50 mm²</p> | <p>DNT01-0602B</p> <p>6~2 AWG 16/25/35 mm²</p> | <p>DNT02-2210B</p> <p>22~10 AWG 0.5~6 mm²</p> | <p>DNT03-1808B</p> <p>18~8 AWG 0.75~10 mm²</p> |