


## ESK150VM-XXP

PCB > PCB :2025-11-05 :1.1





Pitch: 15.00mm, 600V, 115A (FW2)/125A (FW1)

	PCB Terminal Blocks, Screw Connection
	PCB Terminal Blocks
(mm)	15.00
	Green (default)
	Screw Connection
	Without
(mm)	15.00*(P-1)+45.00
(mm)	31
(mm)	39
( x ) (mm)	1.2x1.2
PCB (mm)	1.7
( )	02P~09P
	Single level

	PA
	I
UL 94	V0



	500M at DC 500V
	COPPER ALLOY
	Tin PLATED
-IEC	
(V)	1000
(A)	125
(II/2)(V)	1000
(III/2)(V)	1000
(III/3)(V)	800
(II/2)(KV)	8
(III/2)(KV)	8
(III/3)(KV)	8
(mm²)	0.5
(mm²)	35
(mm²)	0.5
(mm²)	35
(mm ² )	0.25
(mm ² )	35
(mm <sup>2</sup> )	0.25
(mm <sup>2</sup> )	35
2 (mm²)	0.5
2 (mm²)	6
2 (mm²)	0.5
2 (mm²)	6
	M5
(Blade thickness x Width)(mm)	1.0x5.5
Philips	PZ2
(N.m)	3.7
(N.m)	4.5
	18~19

-UL

(UL/CUL Group E	5) (V)	600
(UL/CUL Group B)(A)		115(FW2),125(FW1)
(UL/CUL Group C	;)(V)	600
(UL/CUL Group C)(A) (UL/CUL Group D)(V)		115(FW2),125(FW1) 600
UL/CUL	AWG	2
UL/CUL	AWG	20
UL/CUL	AWG	2
UL/CUL	AWG	20
&		
가 (YES or NO)		YES
		120
		-40
UL		
(Group B)(AWG)		20~2
(Group B)(V)		600
(Group B)(A)		115(FW2),125(FW1)
(Group C)(AWG)		20~2
(Group C)(V)		600
(Group C)(A)		115(FW2),125(FW1)
(Group D)(AWG)		20~2
(Group D)(V)		600
(Group D)(A)		5
CUL		
(Group B)(AWG		20~2
(Group B)(V)		600
(Group B)(A)		115(FW2),125(FW1)
(Group C)(AWG		20~2
(Group C)(V)		600
(Group C)(A)		115(FW2),125(FW1)

(Group D)(AWG)	20~2
(Group D)(V)	600
(Group D)(A)	5

## VDE

(mm <sup>2</sup> )	0.5~35
(V)	1000
(A)	125

