


CPC350-XXP

PCB > PCB -

:2026-05-14 :1.1



Pitch : 3.50 mm, 150V, 12A

| | |
|-------|--|
| | PCB Connector – Plug, Screw Connection |
| | PCB Connector – Plug |
| (mm) | 3.50 |
| | Green (default) |
| | Screw Connection |
| | PCB Connection |
| (mm) | 3.50*P |
| (mm) | 19 |
| (mm) | 12.5 |
| () | 02P~24P |
| | Single level |
| | PA |
| | I |
| UL 94 | V0 |
| | 500M at DC 500V |
| | COPPER ALLOY |

Tin PLATED

-IEC

| | |
|-------------------------------------|------|
| (V) | 320 |
| (A) | 14 |
| (II/2)(V) | 320 |
| (III/2)(V) | 160 |
| (III/3)(V) | 160 |
| (II/2)(KV) | 2.5 |
| (III/2)(KV) | 2.5 |
| (III/3)(KV) | 2.5 |
| (mm ²) | 0.2 |
| (mm ²) | 1.5 |
| (mm ²) | 0.2 |
| (mm ²) | 1.5 |
| (mm ²) , , | 0.25 |
| (mm ²) , , | 2.5 |
| (mm ²) , , | 0.25 |
| (mm ²) , , | 2.5 |
| 2 (mm ²) | 0.2 |
| 2 (mm ²) | 1.5 |
| 2 (mm ²) | 0.2 |
| 2 (mm ²) | 1.5 |
| (mm ²) ² , , | 0.25 |
| (mm ²) ² , , | 0.75 |
| 2 (mm ²) , , | 0.5 |
| 2 (mm ²) , , | 1.5 |
| Philips | M2 |
| (N.m) | 0.2 |
| | 7~8 |

-UL

| | | |
|---------------------|-----|-----|
| (UL/CUL Group B)(V) | | 150 |
| (UL/CUL Group B)(A) | | 12 |
| (UL/CUL Group D)(V) | | 150 |
| (UL/CUL Group D)(A) | | 12 |
| UL/CUL | AWG | 28 |
| UL/CUL | AWG | 14 |
| UL/CUL | AWG | 28 |
| UL/CUL | AWG | 14 |

&

| | | |
|---|-------------|-----|
| 가 | (YES or NO) | YES |
| | | 120 |
| | | -40 |

UL

| | | |
|----------------|--|-------|
| (Group B)(AWG) | | 28~14 |
| (Group B)(V) | | 150 |
| (Group B)(A) | | 12 |
| (Group D)(AWG) | | 28~14 |
| (Group D)(V) | | 150 |
| (Group D)(A) | | 12 |

