


AK1.5-PE

DIN

>

:2026-05-14

:1.1



Green-Yellow (default)

	DIN Rail terminal blocks, Grounding terminal blocks
	Grounding terminal blocks
	Green-Yellow (default)
	Spring Clamp Connection
	Rail Mounting
(mm)	49
(mm)	4.2
(mm)	35.5
	Single level
	2
	PA
	I
UL 94	V0
	500M at DC 500V

-IEC

(III/3)(KV)		8
(mm ²)		0.14
(mm ²)		1.5
(mm ²)		0.14
(mm ²)		1.5
(mm ²)	,	0.25
(mm ²)	,	0.75
(mm ²)	,	0.25
(mm ²)	,	0.75
Width)(mm)	(Blade thickness x	0.4x2.5
		10
		TS-35
		YES
		YES

-UL

UL/CUL	AWG	30
UL/CUL	AWG	14
UL/CUL	AWG	30
UL/CUL	AWG	14

&

(YES or NO)		YES
가 (YES or NO)		YES
		120
		-40

UL

(Group B)(AWG)		30~14
(Group B)(V)		600
(Group C)(AWG)		30~14
(Group C)(V)		600

CUL

(Group B) (AWG)	30~14
(Group B) (V)	600
(Group C) (AWG)	30~14
(Group C) (V)	600

VDE

(mm ²)	0.14~1.5
(V)	630

