


AK1.5-PE

DIN > :2025-11-05 :1.1





Green-Yellow (default)

	DIN Rail terminal blocks, Grounding terminal blocks
	Grounding terminal blocks
	Green-Yellow (default)
	Spring Clamp Connection
	Rail Mounting
(mm)	49
(mm)	4.2
(mm)	35.5
	Single level
	2

	PA
	I
UL 94	VO
	500M at DC 500V

-IEC

(111/3	3)(KV)	8
(1	mm²)	0.14
(mm ²)		1.5
		0.14
(1	mm ²)	1.5
(mm ²)	,	0.25
(mm ²)	,	0.75
(mm ²)	,	0.25
(mm ²)	,	0.75
Width)(mm)	(Blade thickness x	0.4x2.5
		10
		TS-35
		YES
		YES
- l	JL	
UL/CUL	AWG	30
UL/CUL	AWG	14
UL/CUL	AWG	30
UL/CUL	AWG	14
&		
(YES	or NO)	YES
가 (YES	or NO)	YES
		120
		-40
UL		
(Group B)(AWG)		30~14
(Group B)(V)		600
(Group C)(AWG)		30~14
(Group C)(V)		600

CUL

(Group B)(AWG)	30~14
(Group B)(V)	600
(Group C)(AWG)	30~14
(Group C)(V)	600

VDE

(mm ²)	0.14~1.5
(V)	630

