


AK1.5-TN-PE

DIN

>

:2026-05-14

:1.1



Green-Yellow (default)

	DIN Rail terminal blocks, Grounding terminal blocks
	Grounding terminal blocks
	Green-Yellow (default)
	Spring Clamp Connection
	Rail Mounting
(mm)	60.8
(mm)	4.2
(mm)	35.5
	Single level
	3
	PA
	I
UL 94	V0
	500M at DC 500V

-IEC

(III/3)(KV)	8
(mm ²)	0.14
(mm ²)	1.5
(mm ²)	0.14
(mm ²)	1.5
(mm ²) , ,	0.25
(mm ²) , ,	0.75
(mm ²) , ,	0.25
(mm ²) , ,	0.75
Width)(mm) (Blade thickness x	0.4x2.5
	10
	TS-35
	YES
	YES

-UL

(UL/CUL Group B)(V)	600
UL/CUL AWG	30
UL/CUL AWG	14
UL/CUL AWG	30
UL/CUL AWG	14

&

(YES or NO)	YES
가 (YES or NO)	YES
	120
	-40

UL

(Group B)(AWG)	30~14
(Group B)(V)	600
(Group C)(AWG)	30~14

(Group C)(V)

600

CUL

(Group B)(AWG)

30~14

(Group B)(V)

600

(Group C)(AWG)

30~14

(Group C)(V)

600



VDE

(mm²)

0.14~1.5

(V)

630



circuit diagram

