



AK4-TN-PE

DIN

>

:2026-05-14

:1.1



Green-Yellow (default)

	DIN Rail terminal blocks, Grounding terminal blocks
	Grounding terminal blocks
	Green-Yellow (default)
	Spring Clamp Connection
	Rail Mounting
(mm)	72.5
(mm)	6.1
(mm)	35.5
	Single level
	3
	PA
	I
UL 94	V0
	500M at DC 500V

-IEC

(III/3)(KV)	8
(mm ²)	0.2
(mm ²)	6
(mm ²)	0.2
(mm ²)	4
(mm ²) , ,	0.25
(mm ²) , ,	4
(mm ²) , ,	0.25
(mm ²) , ,	4
² (mm ²) , ,	0.5
² (mm ²) , ,	0.5
Width)(mm) (Blade thickness x	0.6x3.5
	10
	TS-35
	YES
	YES

-UL

(UL/CUL Group B)(V)	600
(UL/CUL Group C)(V)	600
UL/CUL AWG	28
UL/CUL AWG	10
UL/CUL AWG	28
UL/CUL AWG	10

&

(YES or NO)	YES
가 (YES or NO)	YES
	120
	-40

UL


(Group B) (AWG)	28~10
(Group B) (V)	600
(Group C) (AWG)	28~10
(Group C) (V)	600

CUL

(Group B) (AWG)	28~10
(Group B) (V)	600
(Group C) (AWG)	28~10
(Group C) (V)	600

VDE

(mm ²)	0.2~4
(V)	800



circuit diagram

