


0141-22XX

PCB > PCB

:2026-05-14 :V1



Pitch : 3.81 mm, 300V, 10A

PCB Terminal Blocks, Push-in Design

| | PCB Terminal Blocks |
|------------------|---------------------|
| (mm) | 3.81 |
| | Black (default) |
| | Push in design |
| | Without |
| | Wave soldering |
| (mm) | 3.81*(P-1)+5.31 |
| (mm) | 12 |
| (mm) | 12.1 |
| (x) (mm) | 0.5x1.0 |
| PCB (mm) | 1.2~1.3 |
| () | 02P~24P |
| | Single level |

| | |
|-------|--------------------|
| | PA |
| | I |
| UL 94 | V0 |
| | 500M at DC 500V |
| | COPPER ALLOY |
| | Tin PLATED |

-IEC

| | |
|--------------------|-----|
| (V) | 320 |
| (A) | 10 |
| (II/2)(V) | 320 |
| (III/2)(V) | 320 |
| (III/3)(V) | 160 |
| (II/2)(KV) | 4 |
| (III/2)(KV) | 4 |
| (III/3)(KV) | 4 |
| (mm ²) | 0.2 |
| (mm ²) | 1.5 |
| (mm ²) | 0.2 |
| (mm ²) | 1.5 |



| | | | |
|--------------------|--------------------|---|---------|
| (mm ²) | , | , | 0.25 |
| (mm ²) | , | , | 1 |
| (mm ²) | , | , | 0.25 |
| (mm ²) | , | , | 1 |
| | 2 | , | 0.5 |
| | (mm ²) | , | |
| | 2 | , | 0.5 |
| | (mm ²) | , | |
| Width)(mm) | (Blade thickness x | | 0.4x2.5 |
| | | | 9~10 |

-UL

| | | |
|---------------------|-----|-----|
| (UL/CUL Group B)(V) | | 300 |
| (UL/CUL Group B)(A) | | 10 |
| (UL/CUL Group D)(V) | | 300 |
| (UL/CUL Group D)(A) | | 10 |
| UL/CUL | AWG | 26 |
| UL/CUL | AWG | 16 |
| UL/CUL | AWG | 26 |
| UL/CUL | AWG | 16 |

&

| | | |
|---|-------------|-----|
| 가 | (YES or NO) | YES |
| | | 120 |
| | | -40 |

UL

| | | |
|----------------|--|-------|
| (Group B)(AWG) | | 26~16 |
| (Group B)(V) | | 300 |
| (Group B)(A) | | 10 |
| (Group D)(AWG) | | 26~16 |
| (Group D)(V) | | 300 |
| (Group D)(A) | | 10 |

CUL

| | |
|-----------------|-------|
| (Group B) (AWG) | 26~16 |
| (Group B) (V) | 300 |
| (Group B) (A) | 10 |
| (Group D) (AWG) | 26~16 |
| (Group D) (V) | 300 |
| (Group D) (A) | 10 |

VDE

| | |
|--------------------|---------|
| (mm ²) | 0.2~1.5 |
| (V) | 320 |
| (A) | 10 |

