


# 0171-11XX

PCB > PCB

:2026-07-05 :V1



Pitch : 9.00mm, 300V, 8A

PCB Terminal Blocks, Push-in Design	
PCB Terminal Blocks	
(mm)	9.00
	Black (default)
	Push in design
	Without
	Wave soldering
(mm)	$9.00 \times (P/2 - 1) + 10.0$
(mm)	18.4
(mm)	7.7
( ) x ( ) (mm)	0.3x1.3
PCB (mm)	0.6x1.8
( )	02P~08P
	Double level
	PA
	I



UL 94	V0
	500M at DC 500V
	COPPER ALLOY
	Tin PLATED

**-IEC**

(V)	320
(A)	14
(II/2)(V)	630
(III/2)(V)	320
(III/3)(V)	250
(II/2)(KV)	4
(III/2)(KV)	4
(III/3)(KV)	4
(mm <sup>2</sup> )	0.2
(mm <sup>2</sup> )	1.5
(mm <sup>2</sup> )	0.2
(mm <sup>2</sup> )	1.5
(mm <sup>2</sup> ) , ,	0.25
(mm <sup>2</sup> ) , ,	1
(mm <sup>2</sup> ) , ,	0.25
(mm <sup>2</sup> ) , ,	1
Width)(mm) (Blade thickness x	0.4x2.5
	7~8

**-UL**

(UL/CUL Group B)(V)	300
(UL/CUL Group B)(A)	8
(UL/CUL Group D)(V)	300
(UL/CUL Group D)(A)	8
UL/CUL AWG	28
UL/CUL AWG	16

UL/CUL	AWG	28
UL/CUL	AWG	16

&amp;

가	(YES or NO)	YES
		120
		-40

## UL

(Group B)(AWG)	28~16
(Group B)(V)	300
(Group B)(A)	8
(Group D)(AWG)	28~16
(Group D)(V)	300
(Group D)(A)	8

## CUL

(Group B)(AWG)	28~16
(Group B)(V)	300
(Group B)(A)	8
(Group D)(AWG)	28~16
(Group D)(V)	300
(Group D)(A)	8

