


0225-67XX

PCB > PCB -

:2026-07-04 :V1



Pitch : 5.08 mm, 300V, 12A

| | |
|------------|----------------------------------------|
| | PCB Connector – Socket, Wave soldering |
| | PCB Connector – Socket |
| (mm) | 5.08 |
| | Black (default) |
| | Without |
| | Wave soldering |
| (mm) | $5.08 \times (P/2 - 1) + 8.74$ |
| (mm) | 9.5 |
| (mm) | 16 |
| (x) (mm) | 0.6x0.8 |
| PCB (mm) | 1.2 |
| () | 04P~40P |
| | Double level |
| | PBT |
| | IIIa |
| UL 94 | V0 |



| | |
|--|------------------|
| | 1000M at DC 500V |
| | COPPER ALLOY |
| | Tin PLATED |

-IEC

| | |
|-------------|-----|
| (V) | 320 |
| (A) | 14 |
| (II/2)(V) | 320 |
| (III/2)(V) | 320 |
| (III/3)(V) | 200 |
| (II/2)(KV) | 4 |
| (III/2)(KV) | 4 |
| (III/3)(KV) | 4 |

-UL

| | |
|---------------------|-----|
| (UL/CUL Group B)(V) | 300 |
| (UL/CUL Group B)(A) | 12 |
| (UL/CUL Group D)(V) | 300 |
| (UL/CUL Group D)(A) | 10 |

&

| | |
|---------------|-----|
| 가 (YES or NO) | YES |
| | 120 |
| | -40 |

UL

| | |
|--------------|-----|
| (Group B)(V) | 300 |
| (Group B)(A) | 12 |
| (Group D)(V) | 300 |
| (Group D)(A) | 10 |

CUL

| | |
|--------------|-----|
| (Group B)(V) | 300 |
| (Group B)(A) | 12 |
| (Group D)(V) | 300 |

(Group D)(A)

10

