


EC381VK-XXP

PCB > PCB -

:2026-05-14 :1.1



Pitch : 3.81 mm, 300V, 8A

	PCB Connector - Plug, Screw Connection
	PCB Connector - Plug
(mm)	3.81
	Green (default)
	Screw Connection
	With release tool
(mm)	$3.81 * (P - 1) + 12.1$
(mm)	24.5
(mm)	13.2
()	02P~24P
	Single level
	PA
	I
UL 94	V0
	500M at DC 500V
	COPPER ALLOY



Tin PLATED

-IEC

(V)	320
(A)	14
(II/2)(V)	320
(III/2)(V)	160
(III/3)(V)	160
(II/2)(KV)	2.5
(III/2)(KV)	2.5
(III/3)(KV)	2.5
(mm ²)	0.2
(mm ²)	1.5
(mm ²)	0.2
(mm ²)	1.5
(mm ²) , ,	0.25
(mm ²) , ,	1.5
(mm ²) , ,	0.25
(mm ²) , ,	0.5
2 (mm ²)	0.2
2 (mm ²)	0.75
2 (mm ²)	0.2
2 (mm ²)	0.75
(mm ²) ² , ,	0.25
(mm ²) ² , ,	0.5
2 (mm ²) , ,	0.5
2 (mm ²) , ,	0.5
	M2
Width)(mm) (Blade thickness x	0.4x2.5
Philips	PH0


(N.m)	0.2
	7~8

-UL

(UL/CUL Group B)(V)		300
(UL/CUL Group B)(A)		8
(UL/CUL Group D)(V)		300
(UL/CUL Group D)(A)		8
UL/CUL	AWG	28
UL/CUL	AWG	14
UL/CUL	AWG	28
UL/CUL	AWG	14

&

가 (YES or NO)	YES
	120
	-40





Delight Through Connections