


# ED130R-XXP

PCB > PCB -

:2026-07-05 :1.1



Pitch : 5.00 mm, 300V, 12A

	PCB Connector – Plug, Wire protector type
	PCB Connector – Plug
(mm)	5.00
	Black (default)
	Wire Protector Type
	Without
(mm)	5.00*P
(mm)	14.7
(mm)	12.5
( )	02P~20P
	Single level
	PA
	I
UL 94	V0
	500M at DC 500V
	COPPER ALLOY



Tin PLATED

**-IEC**

(V)	320
(A)	10
(II/2)(V)	400
(III/2)(V)	320
(III/3)(V)	250
(II/2)(KV)	4
(III/2)(KV)	4
(III/3)(KV)	4
(mm <sup>2</sup> )	0.5
(mm <sup>2</sup> )	1.5
(mm <sup>2</sup> )	0.5
(mm <sup>2</sup> )	1.5
(mm <sup>2</sup> ) , ,	0.5
(mm <sup>2</sup> ) , ,	1
(mm <sup>2</sup> ) , ,	0.5
(mm <sup>2</sup> ) , ,	1
2 (mm <sup>2</sup> )	0.5
2 (mm <sup>2</sup> )	1
2 (mm <sup>2</sup> )	0.5
2 (mm <sup>2</sup> )	1
(mm <sup>2</sup> ) <sup>2</sup> , ,	0.5
(mm <sup>2</sup> ) <sup>2</sup> , ,	0.5
2 (mm <sup>2</sup> ) , ,	0.5
2 (mm <sup>2</sup> ) , ,	0.5
	M2.5
Width)(mm) (Blade thickness x	0.6x3.5
Philips	PH1



(N.m)	0.3
	5~6

**-UL**

(UL/CUL Group B)(V)	300
(UL/CUL Group B)(A)	12
(UL/CUL Group D)(V)	300
(UL/CUL Group D)(A)	10
UL/CUL AWG	22
UL/CUL AWG	14
UL/CUL AWG	22
UL/CUL AWG	14

**&**

가 (YES or NO)	YES
	120
	-40

**UL**

(Group B)(AWG)	22~14
(Group B)(V)	300
(Group B)(A)	12
(Group D)(AWG)	22~14
(Group D)(V)	300
(Group D)(A)	10

**CUL**

(Group B)(AWG)	22~14
(Group B)(V)	300
(Group B)(A)	12
(Group D)(AWG)	22~14
(Group D)(V)	300
(Group D)(A)	10

