


DP10-PE

DIN > :2025-11-05 :1.1





600V, Green-Yellow (default)

	Grounding Terminal Block, Push-in Design
	Grounding Terminal Block
	Green-Yellow (default)
	Push-in Design
	Rail Mounting
(mm)	69
(mm)	10
(mm)	49.3
()	1P
	Single level
	2

	PA
	I
UL 94	V0
	500M at DC 500V

-IEC

(V)		1000
(III/3)(V)		1000
(111/3)	(KV)	8
(mm²)		0.5
(mm ²)		16
	m ²)	0.5
(mm ²)		10
(mm ²)	,	0.5
(mm ²)	,	10
(mm ²)	,	0.5
(mm ²)	,	10
	2 (mm²)	1.5
	2 (mm²)	4
(Blade thickness x Width)(mm)		1.0x5.5
		18
		TS-35、TS-35/15
		YES
		YES
-U	L	
(UL/CUL Group B)(V)		600
(UL/CUL G	Group C)(V)	600
UL/CUL	AWG	20
UL/CUL	AWG	6
UL/CUL	AWG	20
UL/CUL	AWG	6
&		
(YES or NO)		YES
가 (YES or NO)		YES

120
-40

UL

(Group B)(AWG)	20~6
(Group B)(V)	600
(Group C)(AWG)	20~6
(Group C)(V)	600

CUL

(Group B)(AWG)	20~6
(Group B)(V)	600
(Group C)(AWG)	20~6
(Group C)(V)	600

VDE

(mm ²)	0.5~10
(V)	1000

