


EHK5V3L-XXP

PCB > PCB

:2026-07-06



Pitch : 5.00 mm, 300V, 20A

		PCB Terminal Blocks, Screw Connection
		PCB Terminal Blocks
(mm)		5.00
		Green (default)
		Screw Connection
		Without
		Wave Soldering
(mm)		$5.00 \times (P/3 - 1) + 7.5$
(mm)		33.6
(mm)		44.8
() x () (mm)		0.7x1.1/0.8x1.0
PCB (mm)		1.6
()		06P~72P
		Triple level
		PA
		I



UL 94	V0
	500M at DC 500V
	COPPER ALLOY
	Tin PLATED

-IEC

(V)	320
(A)	24
(II/2)(V)	630
(III/2)(V)	320
(III/3)(V)	250
(II/2)(KV)	4
(III/2)(KV)	4
(III/3)(KV)	4
(mm ²)	0.2
(mm ²)	2.5
(mm ²)	0.2
(mm ²)	2.5
(mm ²) , ,	0.25
(mm ²) , ,	2.5
(mm ²) , ,	0.25
(mm ²) , ,	2.5
2 (mm ²)	0.2
2 (mm ²)	1.5
2 (mm ²)	0.2
2 (mm ²)	1.5
(mm ²) 2 , ,	0.25
(mm ²) 2 , ,	0.75
2 (mm ²) , ,	0.5
2 (mm ²) , ,	0.5



		M2.5
Width) (mm)	(Blade thickness x	0.6x3.5
	(N.m)	0.4
	(N.m)	0.5
		6~7

-UL

	(UL/CUL Group B)(V)	300
	(UL/CUL Group B)(A)	20
	(UL/CUL Group D)(V)	300
	(UL/CUL Group D)(A)	10
UL/CUL	AWG	24
UL/CUL	AWG	12
UL/CUL	AWG	24
UL/CUL	AWG	12

&

	(YES or NO)	YES
가	(YES or NO)	YES
		120
		-40

UL

	(Group B)(AWG)	24~12
	(Group B)(V)	300
	(Group B)(A)	20
	(Group D)(AWG)	24~12
	(Group D)(V)	300
	(Group D)(A)	20

CUL

	(Group B)(AWG)	24~12
	(Group B)(V)	300
	(Group B)(A)	20

(Group D) (AWG)	24~12
(Group D) (V)	300
(Group D) (A)	10

$$5.00 * (P/3 - 1) + 7.50$$

