


ECH350V-XXPWR

PCB > :2025-11-05 :V1





PΑ

Pitch: 3.50 mm, 300V, 8A

	PCB Connector - Socket, Wave soldering
	PCB Connector - Socket
(mm)	3.50
	Black (default)
	Without
	Wave soldering
(mm)	3.50*(P-1)+4.3
(mm)	7.2
(mm)	9.2
(x) (mm)	0.8x0.8
PCB (mm)	1.2~1.3
()	02P~24P
	Single level

	I
UL 94	VO
	500M at DC 500V
	COPPER ALLOY
	Tin PLATED
-IEC	
(V)	320
(A)	14
(II/2)(V)	320
(III/2)(V)	160
(III/3)(V)	160
(II/2)(KV)	2.5
(III/2)(KV)	2.5
(III/3)(KV)	2.5
-UL	
(UL/CUL Group B)(V)	300
(UL/CUL Group B)(A)	8
(UL/CUL Group D)(V)	300
(UL/CUL Group D)(A)	8
&	
가 (YES or NO)	YES
	120
	-40
UL	
(Group B)(V)	300
(Group B)(A)	8
(Group D)(V)	300
(Group D)(A)	8
CUL	
(Group B)(V)	300

(Group B)(A)	8
(Group D)(V)	300
(Group D)(A)	8

