



DPD6-P001

DIN

>

:2026-02-09



300V, 25A, Beige (default)

	Potential distributors Terminal Block, Push-in Design
	Potential distributors Terminal Block
	Beige (default)
	Push-in Design
(mm)	100
(mm)	8.3
(mm)	86
	Eight level
	29

	PA
	I
UL 94	V0
	500M at DC 500V

-IEC



(V)	Line Side : 250 Load Side : 250
(A)	Line Side : 32 Load Side : 17.5
(III/3)(V)	Line Side : 250 Load Side : 250
(III/3)(KV)	Line Side : 4 Load Side : 4
(mm ²)	Line Side : 0.2 Load Side : 0.14
(mm ²)	Line Side : 6 Load Side : 2.5
(mm ²)	Line Side : 0.2 Load Side : 0.14
(mm ²)	Line Side : 6 Load Side : 2.5
(mm ²) , , ,	Line Side : 0.25 Load Side : 0.25
(mm ²) , , ,	Line Side : 6 Load Side : 1.5
(mm ²) , , ,	Line Side : 0.25 Load Side : 0.25
(mm ²) , , ,	Line Side : 6 Load Side : 1.5
	Line Side : 14~15 Load Side : 10~11
	TS-35
	YES
	NO

-UL

(UL/CUL Group B)(V)	Line Side : 300 Load Side : 300
(UL/CUL Group B)(A)	Line Side : 25 Load Side : 15
(UL/CUL Group D)(V)	Line Side : 300 Load Side : 300
(UL/CUL Group D)(A)	Line Side : 25 Load Side : 15
UL/CUL	AWG
UL/CUL	AWG

&

(YES or NO)	YES
가 (YES or NO)	YES
	120
	-40

UL

(Group B)(AWG)	Line Side : 24-10 Load Side : 26-14
----------------	-------------------------------------

(Group B)(V)	Line Side : 300 Load Side : 300
(Group B)(A)	Line Side : 25 Load Side : 15
(Group D)(AWG)	Line Side : 24-10 Load Side : 26-14
(Group D)(V)	Line Side : 300 Load Side : 300
(Group D)(A)	Line Side : 25 Load Side : 15

CUL

(Group B)(AWG)	Line Side : 24-10 Load Side : 26-14
(Group B)(V)	Line Side : 300 Load Side : 300
(Group B)(A)	Line Side : 25 Load Side : 15
(Group D)(AWG)	Line Side : 24-10 Load Side : 26-14
(Group D)(V)	Line Side : 300 Load Side : 300
(Group D)(A)	Line Side : 25 Load Side : 15

