



(III/3)(V)	250
(III/3)(KV)	4
(mm <sup>2</sup> )	0.2
(mm <sup>2</sup> )	2.5
(mm <sup>2</sup> )	0.2
(mm <sup>2</sup> )	2.5
(mm <sup>2</sup> ) , ,	0.25
(mm <sup>2</sup> ) , ,	2.5
(mm <sup>2</sup> ) , ,	0.25
(mm <sup>2</sup> ) , ,	2.5
2 (mm <sup>2</sup> )	0.2
2 (mm <sup>2</sup> )	1
2 (mm <sup>2</sup> )	0.2
2 (mm <sup>2</sup> )	0.75
(mm <sup>2</sup> ) 2 , ,	0.5
(mm <sup>2</sup> ) 2 , ,	1
2 (mm <sup>2</sup> ) , ,	0.5
2 (mm <sup>2</sup> ) , ,	1
	M2.5
Width)(mm) (Blade thickness x	0.6x3.5
Philips	PH0
(N.m)	0.4
(N.m)	0.45
	8~9
	TS-35
	YES
	YES
<b>-UL</b>	
(UL/CUL Group B)(V)	300

(UL/CUL Group C)(V)		300
UL/CUL	AWG	24
UL/CUL	AWG	14
UL/CUL	AWG	24
UL/CUL	AWG	14

&

(YES or NO)		YES
가 (YES or NO)		YES
		120
		-40

## UL

(Group B)(AWG)		24~14
(Group B)(V)		300
(Group C)(AWG)		24~14
(Group C)(V)		300

## CUL

(Group B)(AWG)		24~14
(Group B)(V)		300
(Group C)(AWG)		24~14
(Group C)(V)		300



