


5EH-3PLL

PCB > PCB -

:2026-07-06



Pitch: 5.00mm, 300V, 15A

| | |
|----------------|--|
| | PCB Connector – Socket, Reflow Soldering |
| | PCB Connector – Socket |
| (mm) | 5 |
| | Black (default) |
| | Without |
| | Reflow Soldering |
| (mm) | 15 |
| (mm) | 14.7 |
| (mm) | 16.5 |
| () x () (mm) | 1x1 |
| PCB (mm) | 1.6 |
| () | 03P |
| | Single level |
| | HIGH-TEMPERATURE PLASTICS |
| | I |
| UL 94 | V0 |



| | |
|-----|-----------------|
| | 500M at DC 500V |
| | COPPER ALLOY |
| | Tin PLATED |
| MSL | 2 |

-IEC

| | |
|-------------|-----|
| (V) | 630 |
| (A) | 18 |
| (II/2)(V) | 630 |
| (III/2)(V) | 320 |
| (III/3)(V) | 320 |
| (II/2)(KV) | 4 |
| (III/2)(KV) | 4 |
| (III/3)(KV) | 4 |

-UL

| | |
|---------------------|-----|
| (UL/CUL Group B)(V) | 300 |
| (UL/CUL Group B)(A) | 15 |
| (UL/CUL Group D)(V) | 300 |
| (UL/CUL Group D)(A) | 10 |

&

| | |
|---------------|-----|
| 가 (YES or NO) | YES |
| | 120 |
| | -40 |

UL

| | |
|--------------|-----|
| (Group B)(V) | 300 |
| (Group B)(A) | 15 |
| (Group D)(V) | 300 |
| (Group D)(A) | 10 |

CUL

| | |
|--------------|-----|
| (Group B)(V) | 300 |
| (Group B)(A) | 15 |

| | |
|---------------|-----|
| (Group D) (V) | 300 |
| (Group D) (A) | 10 |

