


## DK50-PE

DIN > :2025-11-05 :1.2





M6, 600V, Green-Yellow (default)

	DIN rail terminal blocks, Grounding terminal blocks
	Grounding terminal blocks
	Green-Yellow (default)
	Screw connection
	Rail mounting
(mm)	70.5
(mm)	20
(mm)	75.6
( )	1P
	Single level
	2

	PA
	I
UL 94	VO
	500M at DC 500V

## -IEC

1000 1000 8 8 8
8
8
8
16
50
16
50
16
50
16
50
16
16
16
16
16
16
M6
7.9
20~25
TS-35
NO
YES
600
600

UL/CUL	AWG	6
UL/CUL	AWG	2sol,1/0str
UL/CUL AWG		6
UL/CUL	AWG	2sol,1/0str
&		
(YES or NO)		YES
가 (YES or NO)		YES
		120
		-40
UL		
(Group B)	(AWG)	6~1/0str,2sol
(Group B)(V)		600
(Group C) (AWG)		6~1/0str,2sol
(Group C)(V)		600
(Group D) (AWG)		6~1/0str,2sol
(Group D)(V)		600
CUL		
(Group B)(AWG)		6~1/0str,2sol
(Group B)(V)		600
(Group C)(AWG)		6~1/0str,2sol
(Group C)(V)		600
(Group D) (AWG)		6~1/0str,2sol
(Group D)(V)		600
VDE		
(mm <sup>2</sup> )		16~50

