



# DPHD10-P001

DIN

>

:2026-05-14



600V, 60A, Beige (default)

	Potential collective Terminal Block, Push-in Design
	Potential collective Terminal Block
	Beige (default)
	Push-in Design
	Rail Mounting
(mm)	79.8
(mm)	41.5
(mm)	41.5/ 43 ( TS-35N ) / 50.5 ( TS-35/15N )
( )	1P
	Single level
	5
	PA
	I
UL 94	V0
	500M at DC 500V

**-IEC**

(V)	1000
(A)	57(Line Side) & 24(Load Side )
(III/3)(V)	1000
(III/3)(KV)	8
(mm <sup>2</sup> )	0.5(Line Side) & 0.14(Load Side )
(mm <sup>2</sup> )	10(Line Side) & 4(Load Side )
(mm <sup>2</sup> )	0.5(Line Side) & 0.14(Load Side )
(mm <sup>2</sup> )	10(Line Side) & 2.5(Load Side )
(mm <sup>2</sup> ) , ,	0.5(Line Side) & 0.25(Load Side )
(mm <sup>2</sup> ) , ,	10(Line Side) & 2.5(Load Side )
(mm <sup>2</sup> ) , ,	0.5(Line Side) & 0.25(Load Side )
(mm <sup>2</sup> ) , ,	10(Line Side) & 2.5(Load Side )
<sup>2</sup> (mm <sup>2</sup> ) , ,	1.5(Line Side) & 0.5(Load Side )
<sup>2</sup> (mm <sup>2</sup> ) , ,	4(Line Side) & 0.5(Load Side )
Width)(mm) (Blade thickness x	(Load Side ) 0.6x3.5 & 1X5.5
	(Line Side) 17~18 & 9~10(Load Side )
	TS-35N、 TS-35/15N
	NO
	NO

**-UL**

(UL/CUL Group B)(V)	600
(UL/CUL Group B)(A)	60(Line Side) & 16.5(Load Side )
(UL/CUL Group C)(V)	600
(UL/CUL Group C)(A)	60(Line Side) & 16.5(Load Side )
(UL/CUL Group D)(V)	600
(UL/CUL Group D)(A)	5
UL/CUL AWG	20(Line Side) & 26(Load Side )
UL/CUL AWG	6(Line Side) & 12(Load Side )
UL/CUL AWG	20(Line Side) & 26(Load Side )



UL/CUL	AWG	6(Line Side) & 12(Load Side )
<b>&amp;</b>		
	(YES or NO)	YES
가	(YES or NO)	YES
		120
		-40

### UL

	(Group B)(AWG)	20~6(Line Side) & 26~12(Load Side )
	(Group B)(V)	600
	(Group B)(A)	60(Line Side) & 16.5(Load Side )
	(Group C)(AWG)	20~6(Line Side) & 26~12(Load Side )
	(Group C)(V)	600
	(Group C)(A)	60(Line Side) & 16.5(Load Side )
	(Group D)(AWG)	20~6(Line Side) & 26~12(Load Side )
	(Group D)(V)	600
	(Group D)(A)	5

### CUL

	(Group B)(AWG)	20~6(Line Side) & 26~12(Load Side )
	(Group B)(V)	600
	(Group B)(A)	60(Line Side) & 16.5(Load Side )
	(Group C)(AWG)	20~6(Line Side) & 26~12(Load Side )
	(Group C)(V)	600
	(Group C)(A)	60(Line Side) & 16.5(Load Side )
	(Group D)(AWG)	20~6(Line Side) & 26~12(Load Side )
	(Group D)(V)	600
	(Group D)(A)	5

--	--	--

