


0189-212PL

PCB > PCB

:2026-07-05



Pitch :5.00mm, 300V, 20A

| PCB Terminal Blocks, Push-in Design | |
|-------------------------------------|-----------------|
| PCB Terminal Blocks | |
| (mm) | 5 |
| | Black (default) |
| | Push-in Design |
| | Without |
| | Wave Soldering |
| (mm) | 10.6 |
| (mm) | 18.8 |
| (mm) | 15.9 |
| (x) (mm) | 0.8x1 |
| PCB (mm) | 1.6 |
| () | 02P |
| | Single level |
| | 2 |
| | PA |



| | |
|-------|-----------------|
| | I |
| UL 94 | V0 |
| | 500M at DC 500V |
| | COPPER ALLOY |
| | Tin PLATED |

-IEC

| | |
|-------------------------------------|---------|
| (V) | 320 |
| (A) | 24 |
| (II/2)(V) | 320 |
| (III/2)(V) | 320 |
| (III/3)(V) | 200 |
| (II/2)(KV) | 4 |
| (III/2)(KV) | 4 |
| (III/3)(KV) | 4 |
| (mm ²) | 0.2 |
| (mm ²) | 2.5 |
| (mm ²) | 0.2 |
| (mm ²) | 4 |
| (mm ²) , , | 0.25 |
| (mm ²) , , | 2.5 |
| (mm ²) , , | 0.25 |
| (mm ²) , , | 2.5 |
| ² (mm ²) , , | 0.5 |
| ² (mm ²) , , | 1 |
| Width)(mm) (Blade thickness x | 0.6x3.5 |
| | 10~11 |

-UL

| | |
|---------------------|-----|
| (UL/CUL Group B)(V) | 300 |
| (UL/CUL Group B)(A) | 20 |



| | | |
|---------------------|-----|-----|
| (UL/CUL Group D)(V) | | 300 |
| (UL/CUL Group D)(A) | | 10 |
| UL/CUL | AWG | 24 |
| UL/CUL | AWG | 12 |
| UL/CUL | AWG | 24 |
| UL/CUL | AWG | 12 |

&

| | | |
|---|-------------|-----|
| 가 | (YES or NO) | YES |
| | | 120 |
| | | -40 |

UL

| | | |
|----------------|--|-------|
| (Group B)(AWG) | | 24~12 |
| (Group B)(V) | | 300 |
| (Group B)(A) | | 20 |
| (Group D)(AWG) | | 24~12 |
| (Group D)(V) | | 300 |
| (Group D)(A) | | 10 |

CUL

| | | |
|----------------|--|-------|
| (Group B)(AWG) | | 24~12 |
| (Group B)(V) | | 300 |
| (Group B)(A) | | 20 |
| (Group D)(AWG) | | 24~12 |
| (Group D)(V) | | 300 |
| (Group D)(A) | | 10 |

| | | |
|--|--|--|
| | | |
|--|--|--|

