


0189-213PR

PCB > PCB

:2026-07-05



Pitch: 5.00mm, 300V, 20A

	PCB Terminal Blocks, Push-in Design
	PCB Terminal Blocks
(mm)	5.00
	Push-in Design
	Without
	Wave Soldering
(mm)	15.6
(mm)	18.8
(mm)	17
(x) (mm)	0.8x1
PCB (mm)	1.6
()	3P
	PA
	I
UL 94	V0
	500M at DC 500V



		COPPER ALLOY
		Tin PLATED
-IEC		
(V)		320
(A)		24
(II/2)(V)		320
(III/2)(V)		320
(III/3)(V)		200
(II/2)(KV)		4
(III/2)(KV)		4
(III/3)(KV)		4
(mm ²)		0.2
(mm ²)		2.5
(mm ²)		0.2
(mm ²)		4
(mm ²)	' ,	0.25
(mm ²)	' ,	2.5
(mm ²)	' ,	0.25
(mm ²)	' ,	2.5
	² (mm ²) ' ,	0.5
	² (mm ²) ' ,	1
Philips		0.6x3.5
		10~11
-UL		
(UL/CUL Group B)(V)		300
(UL/CUL Group B)(A)		20
(UL/CUL Group D)(V)		300
(UL/CUL Group D)(A)		10
UL/CUL	AWG	24
UL/CUL	AWG	12

UL/CUL	AWG	24
UL/CUL	AWG	12

&

가 (YES or NO)	YES
	120
	-40

