


PM4H-16P

NEMA > :2025-11-05





300V, 30A, Beige (default)

| | Panel Mounting |
|------|----------------------|
| | Panel Mounting |
| (mm) | 10 |
| | Refer to drawing |
| | Screw Connection |
| | With mounting flange |
| (mm) | 10* (P-1) +7.6 |
| (mm) | 22.5 |
| (mm) | 18.7 |
| () | 02P~16P |
| | Single level |
| | 2 |

| | PA |
|-------|-----------------|
| | I |
| UL 94 | VO |
| | 500M at DC 500V |



| | COPPER ALLOY |
|--|--------------|
| | Tin PLATED |
| -IEC | |
| (V) | 630 |
| (A) | 32 |
| (II/2)(V) | 1000 |
| (III/2)(V) | 630 |
| (III/3)(V) | 630 |
| (II/2)(KV) | 6 |
| (III/2)(KV) | 6 |
| (III/3)(KV) | 6 |
| (mm ²) | 0.5 |
| (mm ²) | 4 |
| (mm ²) | 0.5 |
| (mm ²) | 4 |
| mm ²) | 0.5 |
| (mm ²) | 4 |
| (mm ²) | 0.5 |
| (mm ²) | 4 |
| 2 (mm²) | 0.5 |
| 2 (mm²) | 2.5 |
| 2 (mm²) | 0.5 |
| 2 (mm²) | 2.5 |
| (mm^2) , , | 0.5 |
| (mm^2) , , | 2.5 |
| 2 , , , , , , , , , , , , , , , , , , , | 0.5 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 2.5 |
| | M3 |
| (Blade thickness x | 0.6x3.5 |

| Philips | | PH1 |
|---------------------|-------|-------|
| (N.m) | | 0.5 |
| (N.m) | | 0.6 |
| | (N.m) | 0.5 |
| | | 7~8 |
| - (| JL | |
| (UL/CUL Group B)(V) | | 300 |
| (UL/CUL Group B)(A) | | 30 |
| (UL/CUL Group C)(V) | | 300 |
| (UL/CUL Group C)(A) | | 30 |
| (UL/CUL Group D)(V) | | 600 |
| (UL/CUL Group D)(A) | | 5 |
| UL/CUL | AWG | 22 |
| UL/CUL | AWG | 10 |
| UL/CUL | AWG | 22 |
| UL/CUL | AWG | 10 |
| & | | |
| (YES or NO) | | YES |
| 가 (YES or NO) | | NO |
| | | 120 |
| | | -40 |
| UL | | |
| (Group B)(AWG) | | 22~10 |
| (Group B)(V) | | 300 |
| (Group B)(A) | | 30 |
| (Group C)(AWG) | | 22~10 |
| (Group C)(V) | | 300 |
| (Group C)(A) | | 30 |
| CUL | | |
| (Group B)(AWG) | | 22~10 |
| (Group B)(V) | | 300 |
| | | |

| (Group B)(A) | 30 |
|----------------|-------|
| (Group C)(AWG) | 22~10 |
| (Group C)(V) | 300 |
| (Group C)(A) | 30 |

