


# 2ESDHM- XXPQK01

PCB > PCB -

:2026-04-02



300V, 15A, Green (default)

	PCB Connector, Screw Connection
(mm)	5.08
	Green (default)
	Screw Connection
(mm)	$5.08 * (P-1) + 15.24$
(mm)	28.85
(mm)	15
( )	02P~12P
	Single level
	2~12
	PA
	I
UL 94	V0
	500M at DC 500V



		COPPER ALLOY
		Tin PLATED
<b>-IEC</b>		
(V)		630
(A)		18
(II/2)(V)		630
(III/2)(V)		320
(III/3)(V)		320
(II/2)(KV)		4
(III/2)(KV)		4
(III/3)(KV)		4
(mm <sup>2</sup> )		0.2
(mm <sup>2</sup> )		2.5
(mm <sup>2</sup> )		0.2
(mm <sup>2</sup> )		2.5
(mm <sup>2</sup> )	,	0.25
(mm <sup>2</sup> )	,	2.5
(mm <sup>2</sup> )	,	0.25
(mm <sup>2</sup> )	,	2.5
2	(mm <sup>2</sup> )	0.2
2	(mm <sup>2</sup> )	1.5
2	(mm <sup>2</sup> )	0.2
2	(mm <sup>2</sup> )	1.5
(mm <sup>2</sup> )	2 ,	0.25
(mm <sup>2</sup> )	2 ,	1
(mm <sup>2</sup> )	2 ,	0.5
(mm <sup>2</sup> )	2 ,	1.5
		M2.5
Width)(mm)	(Blade thickness x	0.6x3.5



(N.m)	0.4
(N.m)	0.5
(N.m)	0.2
	7~8

**-UL**

(UL/CUL Group B)(V)	300
(UL/CUL Group B)(A)	15
(UL/CUL Group D)(V)	300
(UL/CUL Group D)(A)	10
UL/CUL                      AWG	24
UL/CUL                      AWG	12
UL/CUL                      AWG	24
UL/CUL                      AWG	12

**&**

가            (YES or NO)	YES
	120
	-40

**UL**

(Group B)(AWG)	24~12
(Group B)(V)	300
(Group B)(A)	15
(Group D)(AWG)	24~12
(Group D)(V)	300
(Group D)(A)	10

**CUL**

(Group B)(AWG)	24~12
(Group B)(V)	300
(Group B)(A)	15
(Group D)(AWG)	24~12
(Group D)(V)	300
(Group D)(A)	10

