

0207-0100

DIN

>

:2026-07-05



Pitch: 5.08mm, 300V, 10A

Sensor Terminal Block, Push-in Design



	Sensor Terminal Block
(mm)	5.08
	Push-in Design
(mm)	5.08
(mm)	13.1
(mm)	16.5
(x) (mm)	3
()	02P~24P
	Single level

	PA
	I
UL 94	V0
	500M at DC 500V

-IEC

(V)	400
(A)	17.5
(II/2)(V)	400
(III/2)(V)	400
(III/3)(V)	250
(II/2)(KV)	2.5
(III/2)(KV)	4
(III/3)(KV)	4
(mm ²)	0.5
(mm ²)	2.5
(mm ²)	0.5
(mm ²)	2.5
(mm ²) , ,	0.5
(mm ²) , ,	1.5
(mm ²) , ,	0.5
(mm ²) , ,	1.5



2 (mm ²)	,	,	0.5
2 (mm ²)	,	,	0.75
Philips			0.6x3.5
			8~10
			TS-35N、TS-35/15N

-UL

(UL/CUL Group B)(V)		300
(UL/CUL Group B)(A)		10
(UL/CUL Group C)(V)		150
(UL/CUL Group C)(A)		10
(UL/CUL Group D)(V)		300
(UL/CUL Group D)(A)		10
UL/CUL	AWG	26
UL/CUL	AWG	14
UL/CUL	AWG	26
UL/CUL	AWG	14

&

가	(YES or NO)	YES
		120
		-40

UL

(Group B)(AWG)		26~14
(Group B)(V)		300
(Group B)(A)		10
(Group C)(AWG)		26~14
(Group C)(V)		150
(Group C)(A)		10
(Group D)(AWG)		26~14
(Group D)(V)		300
(Group D)(A)		10

CUL

(Group B) (AWG)	26~14
(Group B) (V)	300
(Group B) (A)	10
(Group C) (AWG)	26~14
(Group C) (V)	150
(Group C) (A)	10
(Group D) (AWG)	26~14
(Group D) (V)	300
(Group D) (A)	10

VDE

(mm ²)	0.5~2.5
(V)	400
(A)	17.5

