

0207-0100

DIN > :2025-11-05



Pitch: 5.08mm, 300V, 10A

Sensor Terminal Block, Push-in Design

	Sensor Terminal Block
(mm)	5.08
	Push-in Design
(mm)	5.08
(mm)	13.1
(mm)	16.5
(x) (mm)	3
()	02P~24P
	Single level
	PA
	I
UL 94	V0
	500M at DC 500V
-IEC	
(V)	400
(A)	17.5
(II/2)(V)	400
(III/2)(V)	400
(III/3)(V)	250
(II/2)(KV)	2.5
(III/2)(KV)	4
(III/3)(KV)	4
(mm ²)	0.5
(mm ²)	2.5
(mm ²)	0.5
(mm ²)	2.5
(mm²)	0.5
(mm ²)	1.5
(mm ²)	0.5
(mm ²)	1.5

2 , , , , , , , , , , , , , , , , , , ,	0.5
2 , , , , (mm ²)	0.75
Philips	0.6x3.5
	8~10
-UL	
(UL/CUL Group B)(V)	300
(UL/CUL Group B)(A)	10
(UL/CUL Group C)(V)	150
(UL/CUL Group C)(A)	10
(UL/CUL Group D)(V)	300
(UL/CUL Group D)(A)	10
UL/CUL AWG	26
UL/CUL AWG	14
UL/CUL AWG	26
UL/CUL AWG	14
&	
가 (YES or NO)	YES
	120
	-40
UL	
(Group B)(AWG)	26~14
(Group B)(V)	300
(Group B)(A)	10
(Group C)(AWG)	26~14
(Group C)(V)	150
(Group C)(A)	10
(Group D)(AWG)	26~14
(Group D)(V)	300
(Group D)(A)	10

CUL



(Group B)(AWG)	26~14
(Group B)(V)	300
(Group B)(A)	10
(Group C)(AWG)	26~14
(Group C)(V)	150
(Group C)(A)	10
(Group D)(AWG)	26~14
(Group D)(V)	300
(Group D)(A)	10





