

# 0207-0100

DIN

>

:2026-05-14



Pitch: 5.08mm, 300V, 10A

Sensor Terminal Block, Push-in Design



	Sensor Terminal Block
(mm)	5.08
	Push-in Design
(mm)	5.08
(mm)	13.1
(mm)	16.5
(    x    ) (mm)	3
(    )	02P~24P
	Single level

	PA
	I
UL 94	V0
	500M at DC 500V

**-IEC**

(V)	400
(A)	17.5
(II/2)(V)	400
(III/2)(V)	400
(III/3)(V)	250
(II/2)(KV)	2.5
(III/2)(KV)	4
(III/3)(KV)	4
(mm <sup>2</sup> )	0.5
(mm <sup>2</sup> )	2.5
(mm <sup>2</sup> )	0.5
(mm <sup>2</sup> )	2.5
(mm <sup>2</sup> ) ,        ,	0.5
(mm <sup>2</sup> ) ,        ,	1.5
(mm <sup>2</sup> ) ,        ,	0.5
(mm <sup>2</sup> ) ,        ,	1.5



2 (mm <sup>2</sup> )	,	,	0.5
2 (mm <sup>2</sup> )	,	,	0.75
Philips			0.6x3.5
			8~10
			TS-35N、TS-35/15N

**-UL**

(UL/CUL Group B)(V)		300
(UL/CUL Group B)(A)		10
(UL/CUL Group C)(V)		150
(UL/CUL Group C)(A)		10
(UL/CUL Group D)(V)		300
(UL/CUL Group D)(A)		10
UL/CUL	AWG	26
UL/CUL	AWG	14
UL/CUL	AWG	26
UL/CUL	AWG	14

**&**

가	(YES or NO)	YES
		120
		-40

**UL**

(Group B)(AWG)		26~14
(Group B)(V)		300
(Group B)(A)		10
(Group C)(AWG)		26~14
(Group C)(V)		150
(Group C)(A)		10
(Group D)(AWG)		26~14
(Group D)(V)		300
(Group D)(A)		10

## CUL

(Group B) (AWG)	26~14
(Group B) (V)	300
(Group B) (A)	10
(Group C) (AWG)	26~14
(Group C) (V)	150
(Group C) (A)	10
(Group D) (AWG)	26~14
(Group D) (V)	300
(Group D) (A)	10

## VDE

(mm <sup>2</sup> )	0.5~2.5
(V)	400
(A)	17.5

