



# DPH10

DIN

&gt;

:2026-07-05



600V, 55A, Beige (default)

|       |  |
|-------|--|
|       | Single Level Feed-through Terminal Block, Push-in Design |
|       | Single Level Feed-through Terminal Block                 |
|       | Refer to drawing   |
|       | Push-in Design   |
|       | Rail Mounting  |
| (mm)  | 93.1   |
| (mm)  | 10   |
| (mm)  | 50.1 ( TS-35N ) / 57.6 ( TS-35/15N )                     |
| ( )   | 1P   |
|       | Single level   |
|       | 2  |
|       | PA   |
|       | I  |
| UL 94 | V0   |
|       | 500M at DC 500V  |

**-IEC**

|                                 |                    |                  |
|---------------------------------|--------------------|------------------|
| (V)                             |                    | 1000             |
| (A)                             |                    | 57               |
| (III/3)(V)                      |                    | 1000             |
| (III/3)(KV)                     |                    | 8                |
| (mm <sup>2</sup> )              |                    | 0.5              |
| (mm <sup>2</sup> )              |                    | 16               |
| (mm <sup>2</sup> )              |                    | 0.5              |
| (mm <sup>2</sup> )              |                    | 10               |
| (mm <sup>2</sup> )              | ,                  | 0.5              |
| (mm <sup>2</sup> )              | ,                  | 10               |
| (mm <sup>2</sup> )              | ,                  | 0.5              |
| (mm <sup>2</sup> )              | ,                  | 10               |
| <sup>2</sup> (mm <sup>2</sup> ) | ,                  | 1.5              |
| <sup>2</sup> (mm <sup>2</sup> ) | ,                  | 4                |
| Width)(mm)                      | (Blade thickness x | 1x5.5            |
|                                 |                    | 18~19            |
|                                 |                    | TS-35N、TS-35/15N |
|                                 |                    | NO               |
|                                 |                    | NO               |

**-UL**

|                     |     |     |
|---------------------|-----|-----|
| (UL/CUL Group B)(V) |     | 600 |
| (UL/CUL Group B)(A) |     | 60  |
| (UL/CUL Group C)(V) |     | 600 |
| (UL/CUL Group C)(A) |     | 60  |
| (UL/CUL Group D)(V) |     | 600 |
| (UL/CUL Group D)(A) |     | 5   |
| UL/CUL              | AWG | 20  |
| UL/CUL              | AWG | 6   |
| UL/CUL              | AWG | 20  |



|              |             |     |
|--------------|-------------|-----|
| UL/CUL       | AWG         | 6   |
| <b>&amp;</b> |             |     |
|              | (YES or NO) | YES |
| 가            | (YES or NO) | YES |
|              |             | 120 |
|              |             | -40 |

### UL

|  |                |      |
|--|----------------|------|
|  | (Group B)(AWG) | 20~6 |
|  | (Group B)(V)   | 600  |
|  | (Group B)(A)   | 55   |
|  | (Group C)(AWG) | 20~6 |
|  | (Group C)(V)   | 600  |
|  | (Group C)(A)   | 55   |
|  | (Group D)(AWG) | 20~6 |
|  | (Group D)(V)   | 600  |
|  | (Group D)(A)   | 5    |

### CUL

|  |                |      |
|--|----------------|------|
|  | (Group B)(AWG) | 20~6 |
|  | (Group B)(V)   | 600  |
|  | (Group B)(A)   | 55   |
|  | (Group C)(AWG) | 20~6 |
|  | (Group C)(V)   | 600  |
|  | (Group C)(A)   | 55   |
|  | (Group D)(AWG) | 20~6 |
|  | (Group D)(V)   | 600  |
|  | (Group D)(A)   | 5    |

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

