



# DK4NS-TFLXX

DIN

>

:2026-07-05



M3, 300V, 10A, Beige (default)

	Fuse Terminal Block, Screw Connection
	Fuse Terminal Block, Screw Connection
	Beige (default)
	Screw Connection
	Rail mounting
(mm)	57.8
(mm)	6.1
(mm)	68.8
( )	1P
	Single level
	2
	PA
	I
UL 94	V0
	500M at DC 500V
	Tin PLATED

## -IEC

(V)		300
(A)		6.3
(III/3)(V)		300
(II/2)(KV)		8
(III/2)(KV)		8
(III/3)(KV)		8
(mm <sup>2</sup> )		0.34
(mm <sup>2</sup> )		4
(mm <sup>2</sup> )		0.34
(mm <sup>2</sup> )		4
(mm <sup>2</sup> )	,	0.34
(mm <sup>2</sup> )	,	4
(mm <sup>2</sup> )	,	0.34
(mm <sup>2</sup> )	,	4
2	(mm <sup>2</sup> )	0.34
2	(mm <sup>2</sup> )	2.5
2	(mm <sup>2</sup> )	0.34
2	(mm <sup>2</sup> )	2.5
(mm <sup>2</sup> ) 2	,	0.34
(mm <sup>2</sup> ) 2	,	1.5
2	(mm <sup>2</sup> )	0.5
2	(mm <sup>2</sup> )	2.5
		M3
Width)(mm)	(Blade thickness x	0.6x3.5
Philips		PH1
(N.m)		0.5
(N.m)		0.6
		9~11
		TS-35N/TS-35/15N



	YES
	NO

**-UL**

(UL/CUL Group B)(V)		300
(UL/CUL Group B)(A)		10
(UL/CUL Group C)(V)		300
(UL/CUL Group C)(A)		10
(UL/CUL Group D)(V)		300
(UL/CUL Group D)(A)		10
UL/CUL	AWG	22
UL/CUL	AWG	10
UL/CUL	AWG	22
UL/CUL	AWG	10

**&**

(YES or NO)		YES
가 (YES or NO)		YES
		120
		-40

**UL**

(Group B)(AWG)		22~10
(Group B)(V)		300
(Group B)(A)		10
(Group C)(AWG)		22~10
(Group C)(V)		300
(Group C)(A)		10
(Group D)(AWG)		22~10
(Group D)(V)		300
(Group D)(A)		10

**CUL**

(Group B)(AWG)		22~10
(Group B)(V)		300

(Group B)(A)	10
(Group C)(AWG)	22~10
(Group C)(V)	300
(Group C)(A)	10
(Group D)(AWG)	22~10
(Group D)(V)	300
(Group D)(A)	10

