



# DK4NS-TFLXX

DIN

>

:2026-05-14



M3, 300V, 10A, Beige (default)

|       |                                       |
|-------|---------------------------------------|
|       | Fuse Terminal Block, Screw Connection |
|       | Fuse Terminal Block, Screw Connection |
|       | Beige (default)                       |
|       | Screw Connection                      |
|       | Rail mounting                         |
| (mm)  | 57.8                                  |
| (mm)  | 6.1                                   |
| (mm)  | 68.8                                  |
| ( )   | 1P                                    |
|       | Single level                          |
|       | 2                                     |
|       | PA                                    |
|       | I                                     |
| UL 94 | V0                                    |
|       | 500M at DC 500V                       |
|       | Tin PLATED                            |

## -IEC

|                      |                    |                  |
|----------------------|--------------------|------------------|
| (V)                  |                    | 300              |
| (A)                  |                    | 6.3              |
| (III/3)(V)           |                    | 300              |
| (II/2)(KV)           |                    | 8                |
| (III/2)(KV)          |                    | 8                |
| (III/3)(KV)          |                    | 8                |
| (mm <sup>2</sup> )   |                    | 0.34             |
| (mm <sup>2</sup> )   |                    | 4                |
| (mm <sup>2</sup> )   |                    | 0.34             |
| (mm <sup>2</sup> )   |                    | 4                |
| (mm <sup>2</sup> )   | ,                  | 0.34             |
| (mm <sup>2</sup> )   | ,                  | 4                |
| (mm <sup>2</sup> )   | ,                  | 0.34             |
| (mm <sup>2</sup> )   | ,                  | 4                |
| 2                    | (mm <sup>2</sup> ) | 0.34             |
| 2                    | (mm <sup>2</sup> ) | 2.5              |
| 2                    | (mm <sup>2</sup> ) | 0.34             |
| 2                    | (mm <sup>2</sup> ) | 2.5              |
| (mm <sup>2</sup> ) 2 | ,                  | 0.34             |
| (mm <sup>2</sup> ) 2 | ,                  | 1.5              |
| 2                    | (mm <sup>2</sup> ) | 0.5              |
| 2                    | (mm <sup>2</sup> ) | 2.5              |
|                      |                    | M3               |
| Width)(mm)           | (Blade thickness x | 0.6x3.5          |
| Philips              |                    | PH1              |
| (N.m)                |                    | 0.5              |
| (N.m)                |                    | 0.6              |
|                      |                    | 9~11             |
|                      |                    | TS-35N/TS-35/15N |



|  |     |
|--|-----|
|  | YES |
|  | NO  |

**-UL**

|                     |     |
|---------------------|-----|
| (UL/CUL Group B)(V) | 300 |
| (UL/CUL Group B)(A) | 10  |
| (UL/CUL Group C)(V) | 300 |
| (UL/CUL Group C)(A) | 10  |
| (UL/CUL Group D)(V) | 300 |
| (UL/CUL Group D)(A) | 10  |
| UL/CUL AWG          | 22  |
| UL/CUL AWG          | 10  |
| UL/CUL AWG          | 22  |
| UL/CUL AWG          | 10  |

**&**

|               |     |
|---------------|-----|
| (YES or NO)   | YES |
| 가 (YES or NO) | YES |
|               | 120 |
|               | -40 |

**UL**

|                |       |
|----------------|-------|
| (Group B)(AWG) | 22~10 |
| (Group B)(V)   | 300   |
| (Group B)(A)   | 10    |
| (Group C)(AWG) | 22~10 |
| (Group C)(V)   | 300   |
| (Group C)(A)   | 10    |
| (Group D)(AWG) | 22~10 |
| (Group D)(V)   | 300   |
| (Group D)(A)   | 10    |

**CUL**

|                |       |
|----------------|-------|
| (Group B)(AWG) | 22~10 |
| (Group B)(V)   | 300   |

|                |       |
|----------------|-------|
| (Group B)(A)   | 10    |
| (Group C)(AWG) | 22~10 |
| (Group C)(V)   | 300   |
| (Group C)(A)   | 10    |
| (Group D)(AWG) | 22~10 |
| (Group D)(V)   | 300   |
| (Group D)(A)   | 10    |

