


DK4NS-TFLXX

DIN > :2025-11-05





M3, 300V, 10A, Beige (default)

	Fuse Terminal Block, Screw Connection
	Fuse Terminal Block, Screw Connection
	Beige (default)
	Screw Connection
	Rail mounting
(mm)	57.8
(mm)	6.1
(mm)	68.8
()	1P
	Single level
	2

	PA
	I
UL 94	Vo
	500M at DC 500V
	Tin PLATED

-IEC

(V)	300
(A)	6.3
(III/3)(V)	300
(II/2)(KV)	8
(III/2)(KV)	8
(III/3)(KV)	8
(mm ²)	0.34
(mm ²)	4
(mm ²)	0.34
(mm ²)	4
(mm ²)	0.34
(mm ²)	4
(mm ²)	0.34
(mm ²)	4
2 (mm²)	0.34
2 (mm²)	2.5
2 (mm²)	0.34
2 (mm²)	2.5
(mm²) , ,	0.34
(mm²) , ,	1.5
2 , , , , , , , , , , , , , , , , , , ,	0.5
2 , , , , (mm ²)	2.5
	M3
(Blade thickness x Width)(mm)	0.6x3.5
Philips	PH1
(N.m)	0.5
(N.m)	0.6
	9~11
	TS-35N/TS-35/15N

		YES
		NO
-U	L	
(UL/CUL Group B)(V)		300
(UL/CUL Group B)(A)		10
(UL/CUL Group C)(V)		300
(UL/CUL Group C)(A)		10
(UL/CUL Group D)(V)		300
(UL/CUL Group D)(A)		10
UL/CUL	AWG	22
UL/CUL	AWG	10
UL/CUL	AWG	22
UL/CUL	AWG	10
&		
(YES or NO)		YES
가 (YES or NO)		YES
		120
		-40
UL		
(Group B)(AWG)	22~10
(Group B)(V)		300
(Group B)(A)		10
(Group C)(AWG)		22~10
(Group C)(V)	300
(Group C)(A)		10
(Group D)((AWG)	22~10
(Group D)(V)		300
(Group D)(A)		10
CUL		
(Group B)(AWG)		22~10
(Group B)(V)		300

(Group B)(A)	10
(Group C)(AWG)	22~10
(Group C)(V)	300
(Group C)(A)	10
(Group D)(AWG)	22~10
(Group D)(V)	300
(Group D)(A)	10

