


0152-53XX

PCB > PCB

:2026-07-05



Pitch :7.50mm, 300V, 10A

	PCB Terminal Blocks, Push-in Design PCB Terminal Blocks, Push-in Design
	PCB Terminal Blocks
(mm)	7.5
	Black (default)
	Push-in Design
	Without
	Wave Soldering
(mm)	$7.50 \times (P/3 - 1) + 6.5$
(mm)	19
(mm)	25.95
(x) (mm)	0.6x1
PCB (mm)	1.3
()	06P~24P
	Triple level
	6~24



	PA
	I
UL 94	V0
	500M at DC 500V
	COPPER ALLOY
	Tin PLATED

-IEC

(V)	320
(A)	17.5
(II/2)(V)	630
(III/2)(V)	320
(III/3)(V)	320
(II/2)(KV)	4
(III/2)(KV)	4
(III/3)(KV)	4
(mm ²)	0.2
(mm ²)	1.5
(mm ²)	0.2
(mm ²)	1.5
(mm ²) , ,	0.25
(mm ²) , ,	1
(mm ²) , ,	0.25
(mm ²) , ,	1
² (mm ²) , ,	0.5
² (mm ²) , ,	0.5
Width)(mm) (Blade thickness x	0.6x3.5
	8~9

-UL

(UL/CUL Group B)(V)	300
---------------------	-----

(UL/CUL Group B)(A)		10
(UL/CUL Group D)(V)		300
(UL/CUL Group D)(A)		10
UL/CUL	AWG	28
UL/CUL	AWG	16
UL/CUL	AWG	28
UL/CUL	AWG	16

&

가	(YES or NO)	YES
		120
		-40

