



# ECH381VD-XXP

PCB > PCB -

:2026-07-06



Pitch :3.81mm, 300V, 8A

	PCB Connector – Socket, Wave soldering
	PCB Connector – Socket
(mm)	3.81
	Green (default)
	With release tool
	Wave Soldering
(mm)	$3.81 \times (P-1) + 14.4$
(mm)	7.2
(mm)	9.199999999999999
( x ) (mm)	0.8x0.8
PCB (mm)	1.2~1.3
( )	02P~24P
	Single level
	2~24
	PA
	I



UL 94	V0
	500M at DC 500V
	COPPER ALLOY
	Tin PLATED

**-IEC**

(V)	500
(A)	14
(II/2)(V)	500
(III/2)(V)	320
(III/3)(V)	200
(II/2)(KV)	4
(III/2)(KV)	4
(III/3)(KV)	4

**-UL**

(UL/CUL Group B)(V)	300
(UL/CUL Group B)(A)	8
(UL/CUL Group D)(V)	300
(UL/CUL Group D)(A)	8

**&**

가 (YES or NO)	YES
	120
	-40

**UL**

(Group B)(V)	300
(Group B)(A)	8
(Group D)(V)	300
(Group D)(A)	8

**CUL**

(Group B)(V)	300
(Group B)(A)	8

(Group D)(V)	300
(Group D)(A)	8

