


0168-20XX

> :2025-11-05 :1.1





Pitch: 11mm, M4, 300V, 30A

	Barrier terminal blocks, Screw connection
	Panel Feed Through Terminal Blocks
(mm)	11
	Black(default)
	Screw connection
	With mounting flange
	Single level

	PBT
	IIIa
UL 94	Vo
	Copper Alloy
	Tinned

-IEC

(A)	41
(II/2)(V)	630

(III/2)(V)		600
(III/3)(V)		400
(11/2)	(KV)	6
(111/2)	(KV)	6
(III/3)(KV)		6
(m	m ²)	0.34
(m	m ²)	6
(m	m ²)	0.34
(m	m ²)	6
	2 (mm²)	4
	2 (mm²)	4
		M4
Width)(mm)	(Blade thickness x	1.0x5.5
Philips		PH2
(N.m	1)	1.8
(N.m)		1.2
(N.m)		1.8
		8
-U	L	
(UL/CUL (Group B)(V)	300
(UL/CUL C	Group B)(A)	30
UL/CUL	AWG	22
UL/CUL	AWG	10
UL/CUL	AWG	22
UL/CUL	AWG	10
&		
(YES or NO)		YES
, , ,	,	130
		-40
JL	'	
(Group B)(AWG)		22~10

(Group B)(V)	300
(Group B)(A)	30

CUL

(Group B)(AWG)	22~10
(Group B)(V)	300
(Group B)(A)	30

