



0139-01XX

>

:2026-05-14 :1.1



Pitch: 19.4mm , M6 , 1000V , 65/100/130A

	Barrier terminal blocks , Screw connection
	Panel mounting terminal blocks
(mm)	19.40
	Black(default)
	Screw connection
	Without
	Single level
	PBT
	IIIa
UL 94	V0
	Copper Alloy
	Tinned
-IEC	
(V)	1000
(A)	101

(II/2)(V)		1000
(III/2)(V)		1000
(III/3)(V)		1000
(II/2)(KV)		12
(III/2)(KV)		12
(III/3)(KV)		12
(mm ²)		2.5
(mm ²)		25
(mm ²)		2.5
(mm ²)		25
2	(mm ²)	16
2	(mm ²)	16
		M6
Width)(mm)	(Blade thickness x	1.0x5.5
Philips		PH3
(N.m)		5
(N.m)		2.5
(N.m)		5
		17~18

-UL

(UL/CUL Group C)(V)		1000
(UL/CUL Group C)(A)		65/100/130
UL/CUL	AWG	6/3/6x2
UL/CUL	AWG	12/12/12x2
UL/CUL	AWG	6/3/6x2
UL/CUL	AWG	12/12/12x2

&

(YES or NO)		YES
		130
		-40

UL

(Group C) (AWG)	12x2~3
(Group C) (V)	1000
(Group C) (A)	65/100/130

CUL

(Group C) (AWG)	12x2~3
(Group C) (V)	1000
(Group C) (A)	65/100/130

VDE

(mm ²)	2.5~25
(V)	1000
(A)	101

