



0139-02XX

>

:2026-05-14 :1.1



Pitch: 15.3mm , M5, 300V, 65A

	Barrier terminal blocks , Screw connection
	Panel mounting terminal blocks
(mm)	15.0
	Black(default)
	Screw connection
	Without
	Single level
	PBT
	IIIa
UL 94	V0
	Copper Alloy
	Tinned
-IEC	
(V)	1000
(A)	57

(II/2)(V)		1000
(III/2)(V)		1000
(III/3)(V)		800
(II/2)(KV)		8
(III/2)(KV)		8
(III/3)(KV)		8
(mm ²)		2.5
(mm ²)		10
(mm ²)		2.5
(mm ²)		10
2	(mm ²)	6
2	(mm ²)	6
		M5
Width)(mm)	(Blade thickness x	1.0x5.5
Philips		PH2
(N.m)		3.1
(N.m)		2
(N.m)		3.1
		12~13

-UL

(UL/CUL Group C)(V)		300
(UL/CUL Group C)(A)		65
UL/CUL	AWG	12
UL/CUL	AWG	6
UL/CUL	AWG	12
UL/CUL	AWG	6

&

(YES or NO)		YES
		130
		-40

UL

(Group C) (AWG)	12~6
(Group C) (V)	300
(Group C) (A)	65

CUL

(Group C) (AWG)	12~6
(Group C) (V)	300
(Group C) (A)	65

VDE

(mm ²)	2.5~10
(V)	1000
(A)	57

