



0168-62XX

>

:2026-05-14 :1.1



Pitch: 27mm, M8, 600V, 175A

	Barrier terminal blocks, Screw connection
	Panel Feed Through Terminal Blocks
(mm)	27
	Black (default)
	Screw connection
	With mounting flange
	Single level
	PBT
	IIIa
UL 94	V0
	COPPER ALLOY
	Tinned
-IEC	
(A)	192
(II/2)(V)	800



(III/2)(V)		800
(III/3)(V)		500
(II/2)(KV)		8
(III/2)(KV)		8
(III/3)(KV)		8
(mm ²)		6
(mm ²)		70
(mm ²)		6
(mm ²)		70
2	(mm ²)	50
2	(mm ²)	50
		M8
Philips		PH3, #13
	(N.m)	3.5
	(N.m)	4.2

-UL

(UL/CUL Group B)(V)		600
(UL/CUL Group B)(A)		175
(UL/CUL Group C)(V)		600
(UL/CUL Group C)(A)		175
UL/CUL	AWG	10
UL/CUL	AWG	2/0
UL/CUL	AWG	10
UL/CUL	AWG	2/0

&

(YES or NO)		YES
		130
		-40

UL

(Group B)(AWG)		10~2/0
(Group B)(V)		600
(Group B)(A)		175

(Group C) (AWG)	10~2/0
(Group C) (V)	600
(Group C) (A)	175

CUL

(Group B) (AWG)	10~2/0
(Group B) (V)	600
(Group B) (A)	175
(Group C) (AWG)	10~2/0
(Group C) (V)	600
(Group C) (A)	175

