


0168-62XX

> :2025-11-05 :1.1





Pitch: 27mm, M8, 600V, 175A

	Barrier terminal blocks, Screw connection
	Panel Feed Through Terminal Blocks
(mm)	27
	Black (default)
	Screw connection
	With mounting flange
	Single level

	РВТ
	IIIa
UL 94	Vo
	COPPER ALLOY
	Tinned

-IEC

(A)	192
(II/2)(V)	800

(III/2)(V)		800
(III/3)(V)		500
(II/2)(KV)		8
(III/2)(KV)		8
(III/3)(KV)		8
(mm²)		6
(mm²)		70
(n	nm ²)	6
(n	nm ²)	70
	2 (mm²)	50
	2 (mm²)	50
		M8
Philips		PH3, #13
	(N.m)	3.5
	(N.m)	4.2
- [JL	
(UL/CUL	Group B)(V)	600
(UL/CUL	Group B)(A)	175
(UL/CUL	Group C)(V)	600
(UL/CUL	Group C)(A)	175
UL/CUL	AWG	10
UL/CUL	AWG	2/0
UL/CUL	AWG	10
UL/CUL	AWG	2/0
&		
(YES o	or NO)	YES
		130
		-40
UL		
(Group B)	(AWG)	10~2/0
(Group B))(V)	600
(Group B)(A)	175



(Group C)(AWG)	10~2/0
(Group C)(V)	600
(Group C)(A)	175

CUL

10~2/0 600
600
175
10~2/0
600
175
_

