


EK381V-XXP

PCB > PCB

:2026-05-14 :V1



Pitch : 3.81mm, 300V, 12A

		PCB Terminal Blocks, Screw Connection
		PCB Terminal Blocks
(mm)		3.81
		Green (default)
		Screw Connection
		Without
(mm)		$3.81 \times (P-1) + 3.81$
(mm)		7.4
(mm)		8.5
(x) (mm)		0.5x0.9
PCB	(mm)	1.3
()		02P~24P
		Single level
		PA
		I
UL 94		V0



	500M at DC 500V
	COPPER ALLOY
	Tin PLATED

-IEC

(V)	250
(A)	12
(II/2)(V)	320
(III/2)(V)	250
(III/3)(V)	250
(II/2)(KV)	2.5
(III/2)(KV)	2.5
(III/3)(KV)	2.5
(mm ²)	0.5
(mm ²)	1.5
(mm ²)	0.5
(mm ²)	1.5
(mm ²)	0.25
(mm ²)	1
(mm ²)	0.25
(mm ²)	1
2 (mm ²)	0.2
2 (mm ²)	0.5
2 (mm ²)	0.2
2 (mm ²)	0.34
	M2
Width)(mm) (Blade thickness x	0.4x2.5
(N.m)	0.2
	5~6

-UL

(UL/CUL Group B)(V)	300
---------------------	-----

(UL/CUL Group B)(A)		12
(UL/CUL Group D)(V)		300
(UL/CUL Group D)(A)		10
UL/CUL	AWG	30
UL/CUL	AWG	16
UL/CUL	AWG	30
UL/CUL	AWG	16

&

가	(YES or NO)	YES
		120
		-40

UL

(Group B)(AWG)		30~16
(Group B)(V)		300
(Group B)(A)		12
(Group D)(AWG)		30~16
(Group D)(V)		300
(Group D)(A)		10

CUL

(Group B)(AWG)		30~16
(Group B)(V)		300
(Group B)(A)		12
(Group D)(AWG)		30~16
(Group D)(V)		300
(Group D)(A)		10

VDE

(mm ²)		0.5~1.5
(V)		250
(A)		12

