


EK381V-XXP

PCB > PCB

:2026-02-09 :V1



Pitch : 3.81mm, 300V, 12A

	PCB Terminal Blocks, Screw Connection
	PCB Terminal Blocks
(mm)	3.81
	Green (default)
	Screw Connection
	Without
(mm)	$3.81*(P-1) + 3.81$
(mm)	7.4
(mm)	8.5
(x) (mm)	0.5x0.9
PCB (mm)	1.3
()	02P~24P
	Single level

UL 94	PA I V0
-------	---------------

	500M at DC 500V
	COPPER ALLOY
	Tin PLATED

-IEC

(V)		250
(A)		12
(II/2)(V)		320
(III/2)(V)		250
(III/3)(V)		250
(II/2)(KV)		2.5
(III/2)(KV)		2.5
(III/3)(KV)		2.5
(mm ²)		0.5
(mm ²)		1.5
(mm ²)		0.5
(mm ²)		1.5
(mm ²) , , ,		0.25
(mm ²) , , ,		1
(mm ²) , , ,		0.25
(mm ²) , , ,		1
2 (mm ²)		0.2
2 (mm ²)		0.5
2 (mm ²)		0.2
2 (mm ²)		0.34
		M2
Width)(mm)	(Blade thickness x	0.4x2.5
(N.m)		0.2
		5~6

-UL

(UL/CUL Group B)(V)	300
---------------------	-----

(UL/CUL Group B)(A)		12
(UL/CUL Group D)(V)		300
(UL/CUL Group D)(A)		10
UL/CUL	AWG	30
UL/CUL	AWG	16
UL/CUL	AWG	30
UL/CUL	AWG	16

&

가	(YES or NO)	YES
		120
		-40

UL

(Group B)(AWG)	30~16
(Group B)(V)	300
(Group B)(A)	12
(Group D)(AWG)	30~16
(Group D)(V)	300
(Group D)(A)	10

CUL

(Group B)(AWG)	30~16
(Group B)(V)	300
(Group B)(A)	12
(Group D)(AWG)	30~16
(Group D)(V)	300
(Group D)(A)	10

VDE

(mm ²)	0.5~1.5
(V)	250
(A)	12

