



# 0032-09XX

>

:2026-07-04 :1.1



Pitch: 7.62mm, M3, 250V, 6A

|                |   |
|----------------|---|
|                | Barrier terminal blocks, Screw connection |
|                | Single Row                                |
| (mm)           | 7.62                                      |
|                | Black (default)                           |
|                | Screw connection                          |
|                | Without                                   |
|                | Wave Soldering                            |
| (mm)           | $7.62*(P-1)+8.84$                         |
| (mm)           | 12.5                                      |
| (mm)           | 13  |
| ( ) x ( ) (mm) | 0.8x1.0                                   |
| PCB (mm)       | 1.6~1.7                                   |
| ( )            | 12P                                       |
|                | Single Row                                |
|                | PBT                                       |
|                | IIIa                                      |



|       |                  |
|-------|------------------|
| UL 94 | V0               |
|       | 1000M at DC 500V |
|       | COPPER ALLOY     |
|       | Tin PLATED       |

**-IEC**

|                               |         |
|-------------------------------|---------|
| (V)                           | 400     |
| (A)                           | 17.5    |
| (II/2)(V)                     | 400     |
| (III/2)(V)                    | 320     |
| (III/3)(V)                    | 250     |
| (II/2)(KV)                    | 4       |
| (III/2)(KV)                   | 4       |
| (III/3)(KV)                   | 4       |
| (mm <sup>2</sup> )            | 0.2     |
| (mm <sup>2</sup> )            | 1.5     |
| (mm <sup>2</sup> )            | 0.2     |
| (mm <sup>2</sup> )            | 1.5     |
| 2 (mm <sup>2</sup> )          | 1       |
| 2 (mm <sup>2</sup> )          | 1       |
|                               | M3      |
| Width)(mm) (Blade thickness x | 0.8x4.0 |
| Philips                       | PH2     |
| (N.m)                         | 0.8     |
| (N.m)                         | 0.5     |
| (N.m)                         | 0.8     |
|                               | 8~9     |

**-UL**

|                     |     |
|---------------------|-----|
| (UL/CUL Group B)(V) | 250 |
| (UL/CUL Group B)(A) | 6   |
| UL/CUL AWG          | 24  |
| UL/CUL AWG          | 16  |
| UL/CUL AWG          | 24  |

|              |     |     |
|--------------|-----|-----|
| UL/CUL       | AWG | 16  |
| <b>&amp;</b> |     |     |
| (YES or NO)  |     | YES |
|              |     | 120 |
|              |     | -40 |

