


# DT-123HVR-XXP

PCB > PCB

:2026-03-29 :V1



Pitch : 7.50mm, 600V, 20A

	PCB Terminal Blocks, Front Screw Connection
	PCB Terminal Blocks
(mm)	7.50
	Green (default)
	Front Screw Connection
	Without
(mm)	$7.50 \times P + 2.5$
(mm)	20
(mm)	19
(    x    ) (mm)	0.8x1.6
PCB (mm)	2
(    )	02P~12P
	Single level
	PA
	I
UL 94	V0



	500M at DC 500V
	COPPER ALLOY
	Tin PLATED

**-IEC**

(V)	630
(A)	24
(II/2)(V)	1000
(III/2)(V)	630
(III/3)(V)	400
(II/2)(KV)	6
(III/2)(KV)	6
(III/3)(KV)	6
(mm <sup>2</sup> )	0.5
(mm <sup>2</sup> )	2.5
(mm <sup>2</sup> )	0.5
(mm <sup>2</sup> )	2.5
(mm <sup>2</sup> ) , ,	0.5
(mm <sup>2</sup> ) , ,	1.5
(mm <sup>2</sup> ) , ,	0.5
(mm <sup>2</sup> ) , ,	1.5
2 (mm <sup>2</sup> )	0.5
2 (mm <sup>2</sup> )	1
2 (mm <sup>2</sup> )	0.5
2 (mm <sup>2</sup> )	1
(mm <sup>2</sup> ) 2 , ,	0.5
(mm <sup>2</sup> ) 2 , ,	0.75
2 (mm <sup>2</sup> ) , ,	0.5
2 (mm <sup>2</sup> ) , ,	1
	M2.5



Width)(mm)	(Blade thickness x	0.5x3.0
	(N.m)	0.5
		13~14

**-UL**

(UL/CUL Group B)(V)		600
(UL/CUL Group B)(A)		20
(UL/CUL Group C)(V)		600
(UL/CUL Group C)(A)		20
UL/CUL	AWG	22
UL/CUL	AWG	12
UL/CUL	AWG	22
UL/CUL	AWG	12

**&**

가	(YES or NO)	YES
		120
		-40

**UL**

(Group B)(AWG)		22~12
(Group B)(V)		600
(Group B)(A)		20

**CUL**

(Group B)(AWG)		22~12
(Group B)(V)		600
(Group B)(A)		20

**VDE**

(mm <sup>2</sup> )		0.5~2.5
(V)		1000
(A)		24

